



### Special California Type DB-100 Sweeps — Belled

*\*Consult your Thomas & Betts Sales Team for additional sizes*


	CAT. NO.	SIZE (IN.)	STD. CTN.
90° SWEEP — 48" RADIUS	PE9HN	4	1
	PE9HP	5	1



	CAT. NO.	SIZE (IN.)	STD. CTN.
11¼° SWEEP — 150" RADIUS	PE3SP	5	1
<b>SEGMENTED SWEEPS</b>			
	PE3SNS	4	1
	PE3SPS	5	1
	PE3SRS	6	1




	CAT. NO.	SIZE (IN.)	STD. CTN.
45° SWEEP — 150" RADIUS	PE7SP	5	1






### DB-60 Sweeps

*\*Consult your Thomas & Betts Sales Team for additional sizes*

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
90° SWEEP 	PF9CH	1½	18	1
	PF9CJ	2	18	1
	PF9CL	3	18	1
	PF9CN	4	18	1
	PF9DF	1	24	1
	PF9DH	1½	24	1
	PF9DJ	2	24	1
	PF9DL	3	24	1
	PF9DN	4	24	1
	PF9DP	5	24	1
	PF9FF	1	36	1
	PF9FJ	2	36	1
	PF9FL	3	36	1
	PF9FN	4	36	1
	PF9FP	5	36	1
	PF9FR	6	36	1
	PF9HL	3	48	1
	PF9HN	4	48	1
	PF9HP	5	48	1
	PF9HR	6	48	1
	PF9IL	3	60	1
	PF9IN	4	60	1
	PF9IP	5	60	1
	PF9IR	6	60	1
	PF9SH	1½	150	1
	PF9SJ	2	150	1
	PF9SL	3	150	1
	PF9SR	6	150	1
	PF9VL	3	300	1
	PF9VN	4	300	1
PF9VP	5	300	1	



NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
45° SWEEP 	PF7CF	1	18	1
	PF7CH	1½	18	1
	PF7CJ	2	18	1
	PF7CL	3	18	1
	PF7DF	1	24	1
	PF7DH	1½	24	1
	PF7DJ	2	24	1
	PF7DL	3	24	1
	PF7DN	4	24	1
	PF7FF	1	36	1
	PF7FH	1½	36	1
	PF7FJ	2	36	1
	PF7FL	3	36	1
	PF7FN	4	36	1
	PF7FP	5	36	1
	PF7FR	6	36	1
	PF7HJ	2	48	1
	PF7HL	3	48	1
	PF7HN	4	48	1
	PF7HP	5	48	1
	PF7HR	6	48	1
	PF7IL	3	60	1
	PF7IP	5	60	1
	PF7NN	4	120	1
PF7SH	1½	150	1	
PF7SJ	2	150	1	
PF7SL	3	150	1	
PF7SN	4	150	1	
PF7SP	5	150	1	
PF7SR	6	150	1	
PF7VN	4	300	1	
PF7VP	5	300	1	
PF7VR	6	300	1	


NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

### DB-60 Sweeps

\*Consult your Thomas & Betts Sales Team for additional sizes

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
30° SWEEP 	PF6CJ	2	18	1
	PF6CL	3	18	1
	PF6DL	3	24	1
	PF6DN	4	24	1
	PF6DP	5	24	1
	PF6CH	1½	30	1
	PF6FJ	2	36	1
	PF6FL	3	36	1
	PF6FN	4	36	1
	PF6FR	6	36	1
	PF6HJ	2	48	1
	PF6HN	4	48	1
	PF6HP	5	48	1
	PF6HR	6	48	1
	PF6IN	4	60	1
	PF6IP	5	60	1
	PF6SJ	2	150	1
	PF6SN	4	150	1
	PF6SP	5	150	1
	PF6VJ	2	300	1
PF6VN	4	300	1	
PF6VR	6	300	1	
22½° SWEEP 	PH5DL	3	24	1
	PF5DN	4	24	1
	PF5DP	5	24	1
	PF5FF	1	36	1
	PF5FL	3	36	1
	PF5FN	4	36	1
	PF5FP	5	36	1
	PF5FR	6	36	1
	PF5HL	3	48	1
	PF5HN	4	48	1
	PF5HR	6	48	1
	PF5IJ	2	60	1
	PF5IL	3	60	1
	PF5IP	5	60	1
	PF5IR	6	60	1
	PF5SL	3	150	1
	PF5SN	4	150	1
	PF5SP	5	150	1
	PF5SR	6	150	1
	PF5VN	4	300	1
PF5VP	5	300	1	
PF5VR	6	300	1	

NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
11½° SWEEP 	PF3CJ	2	18	1
	PF3CL	3	18	1
	PF3DF	1	24	1
	PF3DH	1½	24	1
	PF3DP	5	24	1
	PF3FJ	2	36	1
	PF3FL	3	36	1
	PF3FN	4	36	1
	PF3FP	5	36	1
	PF3FR	6	36	1
	PF3HL	3	48	1
	PF3HN	4	48	1
	PF3HP	5	48	1
	PF3HR	6	48	1
	PF3IJ	2	60	1
	PF3IR	6	60	1
	PF3SJ	2	150	1
	PF3SN	4	150	1
	PF3SP	5	150	1
	PF3SR	6	150	1
PF3VJ	2	300	1	
PF3VL	3	300	1	
PF3VN	4	300	1	
PF3VP	5	300	1	


NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.



### DB-120 Sweeps


*\*Consult your Thomas & Betts Sales Team for additional sizes*

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
90° SWEEP	PH9CJ	2	18	1
	PH9CL	3	18	1
	PH9CN	4	18	1
	PH9DJ	2	24	1
	PH9DL	3	24	1
	PH9DN	4	24	1
	PH9DP	5	24	1
	PH9FJ	2	36	1
	PH9FL	3	36	1
	PH9FN	4	36	1
	PH9FP	5	36	1
	PH9FR	6	36	1
	PH9HJ	2	48	1
	PH9HL	3	48	1
	PH9HN	4	48	1
	PH9HP	5	48	1
	PH9HR	6	48	1
	PH9IJ	2	60	1
	PH9IL	3	60	1
	PH9IN	4	60	1
	PH9IR	6	60	1
	PH9OJ	2	66	1
	PH9SJ	2	150	1
	PH9SL	3	150	1
	PH9SN	4	150	1
	PH9SP	5	150	1
	PH9SR	6	150	1
	PH9VN	4	300	1
PH9VP	5	300	1	
PH9VR	6	300	1	



NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
45° SWEEP	PH7CJ	2	18	1
	PH7CL	3	18	1
	PH7CN	4	18	1
	PH7DJ	2	24	1
	PH7DL	3	24	1
	PH7DN	4	24	1
	PH7DP	5	24	1
	PH7FJ	2	36	1
	PH7FL	3	36	1
	PH7FN	4	36	1
	PH7FP	5	36	1
	PH7FR	6	36	1
	PH7HJ	2	48	1
	PH7HL	3	48	1
	PH7HN	4	48	1
	PH7HP	5	48	1
	PH7HR	6	48	1
	PH7IJ	2	60	1
	PH7IL	3	60	1
	PH7IP	5	60	1
	PH7IR	6	60	1
	PH7SJ	2	150	1
PH7SN	4	150	1	
PH7SP	5	150	1	
PH7SR	6	150	1	





NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

### DB-120 Sweeps

\*Consult your Thomas & Betts Sales Team for additional sizes


SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
30° SWEEP	PH6CJ	2	18	1
	PH6CL	3	18	1
	PH6CN	4	18	1
	PH6DJ	2	24	1
	PH6DN	4	24	1
	PH6DP	5	24	1
	PH6FJ	2	36	1
	PH6FL	3	36	1
	PH6FN	4	36	1
	PH6FP	5	36	1
	PH6FR	6	36	1
	PH6HN	4	48	1
	PH6HR	6	48	1
	PH6IN	4	60	1
	PH6SL	3	150	1
	22½° SWEEP	PH5CJ	2	18
PH5CL		3	18	1
PH5CN		4	18	1
PH5DJ		2	24	1
PH5DL		3	24	1
PH5DP		5	24	1
PH5FJ		2	36	1
PH5FL		3	36	1
PH5FN		4	36	1
PH5FP		5	36	1
PH5HL		3	48	1
PH5HN		4	48	1
PH5HP		5	48	1
PH5HR		6	48	1
PH5IJ		2	60	1
PH5IL		3	60	1
PH5IR		6	60	1
PH5SN		4	150	1
PH5SP	5	150	1	
PH5SR	6	150	1	
PH5VJ	2	300	1	
PH5VN	4	300	1	



NOTE: For nominal diameter of 1", use 1" DB-60 Sweeps.  
For nominal diameter of 1½", use 1½" DB-60 Sweeps.

NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
11¼° SWEEP	PH3CJ	2	18	1
	PH3CN	4	18	1
	PH3DJ	2	24	1
	PH3DN	4	24	1
	PH3DP	5	24	1
	PH3FJ	2	36	1
	PH3FL	3	36	1
	PH3FN	4	36	1
	PH3FP	5	36	1
	PH3FR	6	36	1
	PH3HN	4	48	1
	PH3IN	4	60	1
	PH3IP	5	60	1
	PH3IR	6	60	1
	PH3SJ	2	150	1
	PH3SL	3	150	1
	PH3SN	4	150	1
	PH3SP	5	150	1
PH3SR	6	150	1	
PH3VR	6	300	1	



NOTE: For nominal diameter of 1", use 1" DB-60 Sweeps.  
For nominal diameter of 1½", use 1½" DB-60 Sweeps.

NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.



## P&C Duct

(for use with all types of EB and DB Duct)

### Couplings

#### Sleeve Coupling (for repair work)

CAT. NO.	SIZE (IN.)	STD. CTN.
E200J	2	30
E200L	3	25
E200M	3½	20
E200N	4	15
E200P	5	8
E200R	6	5



No internal stop

#### Coupling

CAT. NO.	SIZE (IN.)	STD. CTN.
E940F	1	50
E940H	1½	25
E940J	2	30
E940K	2½	20
E240L	3	30
E240N	4	15
E240P	5	20
E240RF	6	5




#### Long Line Coupling

CAT. NO.	SIZE (IN.)	STD. CTN.
E941H	1½	40
E941J	2	25
E941K	2½	15
E241L	3	15
E241N	4	10



#### 5° Angle Coupling B x S (Bell x Spigot)

CAT. NO.	SIZE (IN.)	C (IN.)	STD. CTN.
E244J	2	2.13	15
E244L	3	3.25	5
E244NF	4	3.50	15
E244NF5 (SHORT)	4	1.87	25
E244PF	5	4.13	10
E244PF5 (SHORT)	5	2.00	20
E244RF	6	5.13	5
E244RF5 (SHORT)	6	2.25	10



#### 5° Angle Coupling BxB (Bell x Bell)

CAT. NO.	SIZE (IN.)	STD. CTN.
E2440NF	4	15
E2440PF	5	10
E2440RF	6	5



#### 5° Angle Coupling B x B (Swedged)

CAT. NO.	SIZE (IN.)	STD. CTN.
E245J	2	20
E245N	4	10
E245P	5	10
E245R	6	5



#### Swedge Coupling

CAT. NO.	SIZE (IN.)	STD. CTN.
E242J	2	48

#### 5° Angle Coupling S x S

CAT. NO.	SIZE (IN.)	STD. CTN.
E2440N5	4	15
E2440P5	5	20

### Plugs

#### Plug

CAT. NO.	SIZE (IN.)	STD. CTN.
P258H	1½	50
P258K	2½	50



#### Plug with Pull Tab

CAT. NO.	SIZE (IN.)	STD. CTN.
P258JT	2	60
P258LT	3	30
P258NT	4	48
P258PT	5	30
P258RT	6	30



Carlton® Non-Metallic Rigid Conduit, Fittings and Accessories



### Adapters

#### Male Adapter

CAT. NO.	SIZE (IN.)	STD. CTN.
E943F	1	50
E943H	1½	25
E943J	2	50
E943L	3	50
E943N	4	20
E943P	5	5
E943R	6	10



#### Female Adapter

CAT. NO.	SIZE (IN.)	STD. CTN.
E942F	1	50
E942H	1½	25
E942J	2	30
E942L	3	25
E942N	4	15
E942P	5	8
E942R	6	6



### Reducers

#### Swedge Reducer (Male x Male)

CAT. NO.	SIZE (IN.)	STD. CTN.
E252LJ	3 x 2	50
E252NJS	4 x 2	25
E252NL	4 x 3	25
E252PN	5 x 4	20
E252RNS	6 x 4	6
E252RP	6 x 5	10



### Markers

#### Cable Marker

CAT. NO.	SIZE (IN.)	STD. CTN.
E299JM	2 x 42	1
E299JP	2 x 56	1
E299JR	2 x 78	1
E299LF	3 x 36	1
E299LR	3 x 60	1
E299NX7	4 x 84	1



### End Bells

#### End Bell

CAT. NO.	SIZE (IN.)	STD. CTN.
E997F	1	50
E997H	1½	30
E997J	2	40
E997L	3	50
E997N	4	30
E997P	5	15
E997R	6	10



#### Molded End Bell

CAT. NO.	SIZE (IN.)	STD. CTN.
E297J	2	40
E297L	3	50
E297N	4	30
E297P	5	15



#### Fabricated End Bell

CAT. NO.	SIZE (IN.)	STD. CTN.
E297JN	2 x 4	25
E297LR	3 x 6	20
E297NT	4 x 10	15
E297PS	5 x 8	10
E297PT	5 x 10	10
E297RF	6 x 5	10
E297RT	6 x 10	6



#### Long-Length End Bell P&C Duct

CAT. NO.	SIZE (IN.)	STD. CTN.
E297RR	6 (6 long)	10







### Canadian DB/2 Sweeps


  
LR90813

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
<b>90° SWEEP</b>	CPF9DJ	2	24	1
	CPF9DL	3	24	1
	CPF9DM*	3½	24	1
	CPF9DN	4	24	1
	CPF9DP*	5	24	1
	CPF9FJ	2	36	1
	CPF9FL	3	36	1
	CPF9FM*	3½	36	1
	CPF9FN	4	36	1
	CPF9FP*	5	36	1
	CPF9FR*	6	36	1
	CPF9GJ*	2	42	1
	CPF9GL*	3	42	1
	CPF9GM*	3½	42	1
	CPF9GN*	4	42	1
	CPF9GP	5	42	1
	CPF9GR*	6	42	1
	CPF9IJ	2	60	1
	CPF9IL	3	60	1
	CPF9IM*	3½	60	1
CPF9IN	4	60	1	
CPF9IP	5	60	1	
CPF9IR	6	60	1	
<b>22½° SWEEP</b>	CPF5DJ*	2	24	1
	CPF5DL*	3	24	1
	CPF5DM*	3½	24	1
	CPF5DN*	4	24	1
	CPF5DP*	5	24	1
	CPF5FJ*	2	36	1
	CPF5FL*	3	36	1
	CPF5FM*	3½	36	1
	CPF5FN	4	36	1
	CPF5FP*	5	36	1
	CPF5GJ*	2	42	1
	CPF5GL*	3	42	1
	CPF5GM*	3½	42	1
	CPF5GN*	4	42	1
	CPF5GP	5	42	1
	CPF5IJ*	2	60	1
CPF5IL*	3	60	1	
CPF5IM*	3½	60	1	
CPF5IN*	4	60	1	
CPF5IP*	5	60	1	



\*Non-stock special radius sweeps are available on request — Quote only.  
NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

SEGMENT	CAT. NO.	SIZE (IN.)	RADIUS (IN.)	STD. CTN.
<b>45° SWEEP</b>	CPF7DJ	2	24	1
	CPF7DL	3	24	1
	CPF7DM*	3½	24	1
	CPF7DN	4	24	1
	CPF7DP*	5	24	1
	CPF7FJ	2	36	1
	CPF7FL	3	36	1
	CPF7FM*	3½	36	1
	CPF7FN	4	36	1
	CPF7FP*	5	36	1
	CPF7FR*	6	36	1
	CPF7GJ*	2	42	1
	CPF7GL*	3	42	1
	CPF7GM*	3½	42	1
	CPF7GN*	4	42	1
	CPF7GP	5	42	1
	CPF7GR*	6	42	1
	CPF7IJ*	2	60	1
	CPF7IL*	3	60	1
	CPF7IM*	3½	60	1
CPF7IN	4	60	1	
CPF7IP*	5	60	1	
CPF7IR	6	60	1	



\*Non-stock special radius sweeps are available on request — Quote only.  
NOTE: Elbows 72" and larger may be shipped in segments. Consult factory for specifics.

Carlton® Non-Metallic Rigid Conduit, Fittings and Accessories





### Canadian DB/2 Duct Fittings

#### PVC 5° Coupling B x B — Solvent Weld

CAT. NO.	SIZE (IN.)	STD. CTN.
CE245J	2	30
CE245L	3	15
CE245N	4	10
CE245P	5	20



#### PE 5° Coupling — Push Fit

CAT. NO.	SIZE (IN.)	STD. CTN.
CE2440L	3	100
CE2440N	4	90



#### PE Coupling — Push Fit

CAT. NO.	SIZE (IN.)	STD. CTN.
CE242J	2	213
CE242L	3	100
CE242N	4	100
CE242P	5	12



#### PVC Coupling — Solvent Weld

CAT. NO.	SIZE (IN.)	STD. CTN.
CE240J	2	30
CE240L	3	30
CE240N	4	15
CE240P	5	20
CE240R	6	1



### Plugs

#### Plug with Pull Tab

CAT. NO.	SIZE (IN.)	STD. CTN.
P258JT	2	60
P258LT	3	30
P258NT	4	48
P258PT	5	30
P258RT	6	30



### End Bells

#### End Bell (For use with DB/2 Duct only)

CAT. NO.	SIZE (IN.)	STD. CTN.
CE297J	2	40
CE297L	3	50
CE297N	4	30
CE297P	5	15



### Adapters

#### PVC Female Adapter — I.P.S. Solvent Weld Duct

CAT. NO.	SIZE (IN.)	STD. CTN.
CE942DJ	2	25
CE942DL	3	30
CE942DN	4	50
CE942DP	5	15



#### PVC Conduit to DB/2 Duct Adapter

CAT. NO.	SIZE (IN.)	STD. CTN.
CE942RJ	2	24
CE942RL	3	1
CE942RN	4	1



### Caps

#### Cap — Solvent Weld

CAT. NO.	SIZE (IN.)	STD. CTN.
CE935J	2	25
CE935L	3	25
CE935N	4	50
CE935P	5	25

