



OMNI® Ceiling Sensors

- IntelliDAPT® self-adaptive technology
- All-digital dual technology and passive infrared sensors
- Low and Line voltage versions
- California Title 24 compliant
- Five-year limited warranty
- UL and cUL listed

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|------------------|------------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| OMNIDT2000 | OMNIDT2000 | 640181402868 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIDT2000RP | OMNIDT2000RP | 640181402912 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIDT1000 | OMNIDT1000 | 640181402769 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIDT1000RP | OMNIDT1000RP | 640181402813 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIDT500 | OMNIDT500 | 640181402660 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIDT500RP | OMNIDT500RP | 640181402714 | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIUS2000 | OMNIUS2000 | 640181403162 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIUS2000RP | OMNIUS2000RP | 640181403216 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIUS1000 | OMNIUS1000 | 640181403063 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIUS1000RP | OMNIUS1000RP | 640181403117 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIUS500 | OMNIUS500 | 640181402967 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIUS500RP | OMNIUS500RP | 640181403018 | OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIIR | OMNIIR | 640181403261 | OMNI Passive Infrared Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIIRRP | OMNIIRRP | 640181403315 | OMNI Passive Infrared Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIIRL | OMNIIRL | 640181403360 | OMNI Passive Infrared Ceiling Sensor with IntelliDAPT, 1500 Sq. Ft., White | | | • | | | 5 oz | 1 |
| OMNIIRLRP | OMNIIRLRP | 640181403414 | OMNI Passive Infrared Ceiling Sensor with IntelliDAPT, 1500 Sq. Ft., Relay & Photocell, White | | | • | | | 5 oz | 1 |
| OMNIDT2000BP1277 | OMNIDT2000BP1277 | 640181411945 | OMNI-BP Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 5 oz | 1 |
| OMNIDT1000BP1277 | OMNIDT1000BP1277 | 640181411938 | OMNI-BP Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 5 oz | 1 |
| OMNIDT500BP1277 | OMNIDT500BP1277 | 640181411952 | OMNI-BP Passive Infrared & Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., Line-Voltage, 120-277VAC | | | • | | | 5 oz | 1 |
| OMNIUS2000BP1277 | OMNIUS2000BP1277 | 640181411990 | OMNI-BP Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 8.2 oz | 1 |
| OMNIUS1000BP1277 | OMNIUS1000BP1277 | 640181411983 | OMNI-BP Ultrasonic Ceiling Sensor with IntelliDAPT, 1000 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 8.2 oz | 1 |
| OMNIUS500BP1277 | OMNIUS500BP1277 | 640181412003 | OMNI-BP Ultrasonic Ceiling Sensor with IntelliDAPT, 500 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 8.2 oz | 1 |
| OMNIIRBP1277 | OMNIIRBP1277 | 640181411969 | OMNI-BP Passive Infrared Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., Line-Voltage, 120-277VAC, White | | | • | | | 8.2 oz | 1 |

OMNI® Ceiling Sensors (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|---------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| OMNIIRLBP1277 | OMNIIRLBP1277 | 640181411976 | OMNI-BP Passive Infrared Ceiling Sensor with IntelliDAPT, 1500 Sq. Ft., Line-Voltage, 120-277VAC, White | | | ● | | | 8.2 oz | 1 |
| OMNIDIABP1277 | OMNIDIABP1277 | 640181411921 | OMNI-BP Passive Infrared & Acoustic Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., Line-Voltage, 120-277VAC, White | | | ● | | | 8.2 oz | 1 |
| OMNIDIA | OMNIDIA | 640181403469 | OMNI Passive Infrared & Acoustic Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., White | | | ● | | | 8.2 oz | 1 |
| OMNIDIARP | OMNIDIARP | 640181403513 | OMNI Passive Infrared & Acoustic Ceiling Sensor with IntelliDAPT, 450 Sq. Ft., Relay & Photocell, White | | | ● | | | 8.2 oz | 1 |



WASP™2 High Mount Sensors

- Digital Passive Infrared (PIR) sensor
- Controls Relay and/or 0-10V dimmable drivers
- Photocell for daylight harvesting
- Smart cycling for improved lamp life
- UL listed
- Five-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|----------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| WSPERMUNV | WSPERMUNV | 640181200839 | WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 1 SPST Output, 120/277/347VAC | | | ● | | | 7 oz | 1 |
| WSPERMUNV-D | WSPERMUNV-D | 640181706928 | WASP2 Dimming Sensor with Daylighting, End Mnt, 1 SPST Output, 120/277/347VAC, White | | | ● | | | 7 oz | 1 |
| WSPSMUNV | WSPSMUNV | 640181200419 | WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 1 SPST Output, 120/277/347VAC, White | | | ● | | | 7 oz | 1 |
| WSPSMUNV-D | WSPSMUNV-D | 640181707024 | WASP2 Dimming Sensor with Daylighting, Surface Mnt, 1 SPST Output, 120/277/347VAC, White | | | ● | | | 7 oz | 1 |
| WSP-L360-LM-WH | WSP-L360-LM-WH | 640181708359 | WASP2 Sensor Lens, Low Mount Aisle Coverage Area, 360 Degree, White | | | ● | | | 7 oz | 1 |
| WSP-L360-WH | WSP-L360-WH | 640181708298 | WASP2 Fl. High Bay Sensor Lens, 360 Degree Coverage Area, White | | | ● | | | 7 oz | 1 |



LightOWL® Wall Mount Sensors

- IntelliDAPT® self-adaptive technology—no manual adjustment required
- All-digital dual technology passive infrared and ultrasonic sensors
- Non-volatile memory for sensor settings
- California Title 24 compliant
- Low voltage device: 24 VDC
- UL and cUL listed
- Five-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| LODT | LODT | 640181402264 | LightOWL Passive Infrared & Ultrasonic Wall Sensor with IntelliDAPT, 1600 Sq. Ft., White | | | ● | | | 5 oz | 1 |
| LODTRP | LODTRP | 640181402318 | LightOWL Passive Infrared & Ultrasonic Wall Sensor with IntelliDAPT, 1600 Sq. Ft., Relay & Photocell, White | | | ● | | | 5 oz | 1 |
| LOIRWV | LOIRWV | 640181402363 | LightOWL Passive Infrared Wall Sensor with IntelliDAPT, 2500 Sq. Ft., White | | | ● | | | 5 oz | 1 |
| LOIRWVRP | LOIRWVRP | 640181402417 | LightOWL Passive Infrared Wall Sensor with IntelliDAPT, 2500 Sq. Ft., Relay & Photocell, White | | | ● | | | 5 oz | 1 |



Power Packs

- Universal voltage: 100–277VAC; 50/60Hz - 20 Amps
- Regulated 24VDC current; 150mA output
- Zero Arc Point Switching
- Plenum rated
- Mounts: inside or outside a junction box; inside a luminaire
- California Title 24 compliant
- Low voltage device: 24 VDC
- UL and cUL listed
- Five-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| UVPP | UVPP | 640181801685 | Universal Voltage Power Pack, 100-277 VAC | | | ● | | | 14 oz | 1 |
| UVPPM | UVPPM | 640181801678 | Universal Voltage Power Pack with Manual ON/OFF Control, 100-277 VAC | | | ● | | | 14 oz | 1 |



LightHAWK®2 Wall Switch Sensors

- IntelliDAPT® self-adaptive technology
- Dual 120/277VAC Operation
- No minimum load requirement
- All-digital dual technology and passive infrared sensors
- Both Occupancy and Vacancy modes offered
- California Title 24 compliant
- Five-year limited warranty
- UL and cUL listed

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|---------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| LHIRS1-G-IV | LHIRS1-G-IV | 640181900647 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHIRS1-G-IV-M | LHIRS1-G-IV-M | 640181705068 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHIRS1-G-LA | LHIRS1-G-LA | 640181900715 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRS1-G-LA-M | LHIRS1-G-LA-M | 640181705075 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRS1-G-WH | LHIRS1-G-WH | 640181900739 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRS1-G-WH-M | LHIRS1-G-WH-M | 640181705082 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-IV | LHIRD2-G-IV | 640181801890 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-IV-M | LHIRD2-G-IV-M | 640181704962 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-LA | LHIRD2-G-LA | 640181801975 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-LA-M | LHIRD2-G-LA-M | 640181704979 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-WH | LHIRD2-G-WH | 640181801999 | LightHAWK2 Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRD2-G-WH-M | LHIRD2-G-WH-M | 640181704986 | LightHAWK2 Vacancy Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHUSS1-G-IV | LHUSS1-G-IV | 640181601896 | LightHAWK2 Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHUSS1-G-IV-M | LHUSS1-G-IV-M | 640181705464 | LightHAWK2 Vacancy Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |

LightHAWK®2 Wall Switch Sensors (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|---------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| LHUSS1-G-LA | LHUSS1-G-LA | 640181601919 | LightHAWK2 Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHUSS1-G-LA-M | LHUSS1-G-LA-M | 640181705471 | LightHAWK2 Vacancy Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHUSS1-G-WH | LHUSS1-G-WH | 640181601933 | LightHAWK2 Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHUSS1-G-WH-M | LHUSS1-G-WH-M | 640181705488 | LightHAWK2 Vacancy Ultrasonic Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-BK | LHMTS1-G-BK | 640181903754 | LightHAWK2 Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-BK-M | LHMTS1-G-BK-M | 640181705242 | LightHAWK2 Vacancy Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-GY | LHMTS1-G-GY | 640181903778 | LightHAWK2 Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-GY-M | LHMTS1-G-GY-M | 640181705259 | LightHAWK2 Vacancy Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-IV | LHMTS1-G-IV | 640181903792 | LightHAWK2 Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-IV-M | LHMTS1-G-IV-M | 640181705266 | LightHAWK2 Vacancy Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-LA | LHMTS1-G-LA | 640181903815 | LightHAWK2 Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-LA-M | LHMTS1-G-LA-M | 640181705273 | LightHAWK2 Vacancy Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-WH | LHMTS1-G-WH | 640181903839 | LightHAWK2 Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHMTS1-G-WH-M | LHMTS1-G-WH-M | 640181705280 | LightHAWK2 Vacancy Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-BK | LHIRS1-N-BK | 640181900760 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-BK-M | LHIRS1-N-BK-M | 640181705099 | LightHAWK2 Vacancy Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-GY | LHIRS1-N-GY | 640181900838 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-GY-M | LHIRS1-N-GY-M | 640181705105 | LightHAWK2 Vacancy Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-IV | LHIRS1-N-IV | 640181900869 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |

LightHAWK®2 Wall Switch Sensors (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|----------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| LHIRS1-N-IV-M | LHIRS1-N-IV-M | 640181705112 | LightHAWK2 Vacancy Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-LA | LHIRS1-N-LA | 640181900883 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-LA-M | LHIRS1-N-LA-M | 640181705129 | LightHAWK2 Vacancy Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N347-WH | LHIRS1-N347-WH | 640181702159 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-WH | LHIRS1-N-WH | 640181900913 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRS1-N-WH-M | LHIRS1-N-WH-M | 640181705136 | LightHAWK2 Vacancy Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRS0-N-LA | LHIRS0-N-LA | 640181900487 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, No Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHIRS0-N-WH | LHIRS0-N-WH | 640181900517 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, No Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHIRD2-N-BK | LHIRD2-N-BK | 640181900081 | LightHAWK2 Neutral Passive Infrared Wall Switch Sensor with IntelliDAPT, Dual Circuit, Two Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-IV | LHMTS1-N-IV | 640181903891 | LightHAWK2 Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-IV-M | LHMTS1-N-IV-M | 640181705310 | LightHAWK2 Vacancy Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-LA | LHMTS1-N-LA | 640181903914 | LightHAWK2 Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-LA-M | LHMTS1-N-LA-M | 640181705327 | LightHAWK2 Vacancy Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-WH | LHMTS1-N-WH | 640181903938 | LightHAWK2 Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHMTS1-N-WH-M | LHMTS1-N-WH-M | 640181705334 | LightHAWK2 Vacancy Neutral Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |



LightHAWK®2 Dimmer Wall Switch Sensors

- IntelliDAPT® self-adaptive technology
- 0-10V Dimming
- No minimum load requirement
- Digital passive infrared sensors
- Both Occupancy and Vacancy modes offered
- California Title 24 compliant
- Five-year limited warranty
- UL and cUL listed

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------------|--------------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| LHD-IRS3-N-BK-M | LHD-IRS3-N-BK-M | 640181709493 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-GY-M | LHD-IRS3-N-GY-M | 640181709509 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-IV-M | LHD-IRS3-N-IV-M | 640181709516 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-LA-M | LHD-IRS3-N-LA-M | 640181709523 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-WH-M | LHD-IRS3-N-WH-M | 640181709530 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-BK | LHD-IRS3-N-BK | 640181709547 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-GY | LHD-IRS3-N-GY | 640181709554 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-IV | LHD-IRS3-N-IV | 640181709561 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-LA | LHD-IRS3-N-LA | 640181709578 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N-WH | LHD-IRS3-N-WH | 640181709585 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-BK-M | LHD-IRS3-N347-BK-M | 640181709592 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-GY-M | LHD-IRS3-N347-GY-M | 640181709608 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-IV-M | LHD-IRS3-N347-IV-M | 640181709615 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-LA-M | LHD-IRS3-N347-LA-M | 640181709622 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |

LightHAWK®2 Dimmer Wall Switch Sensors (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------------|--------------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| LHD-IRS3-N347-WH-M | LHD-IRS3-N347-WH-M | 640181709639 | LightHAWK2 Dimmer Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-BK | LHD-IRS3-N347-BK | 640181709646 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Black | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-GY | LHD-IRS3-N347-GY | 640181709653 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Gray | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-IV | LHD-IRS3-N347-IV | 640181709660 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-LA | LHD-IRS3-N347-LA | 640181709677 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHD-IRS3-N347-WH | LHD-IRS3-N347-WH | 640181709684 | LightHAWK2 Dimmer Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, Three Buttons, 347VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |



LightHAWK®2 Night Light Wall Switch Sensors

- Digital passive infrared technology
- IntelliDAPT® self-adaptive technology
- Night Light mounted under lens
- RhinoTuff™ vandal resistant lens
- Dual 120/277VAC operation
- No minimum load requirement
- Zero Arc Point Switching
- UL and cUL listed
- Five-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-----------------|-----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| LHN-IRS1-N-IV-M | LHN-IRS1-N-IV-M | 640181708670 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N-LA-M | LHN-IRS1-N-LA-M | 640181708687 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N-WH-M | LHN-IRS1-N-WH-M | 640181708694 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N-IV | LHN-IRS1-N-IV | 640181708724 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N-LA | LHN-IRS1-N-LA | 640181708731 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N-WH | LHN-IRS1-N-WH | 640181708748 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |

LightHAWK®2 Night Light Wall Switch Sensors (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------------|--------------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| LHN-IRS1-N347-IV-M | LHN-IRS1-N347-IV-M | 640181708779 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N347-LA-M | LHN-IRS1-N347-LA-M | 640181708786 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N347-WH-M | LHN-IRS1-N347-WH-M | 640181708793 | LightHAWK2 Night Light Vacancy Sensor Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N347-IV | LHN-IRS1-N347-IV | 640181709462 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, Ivory | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N347-LA | LHN-IRS1-N347-LA | 640181709479 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, Lt. Almond | | | ● | | | 2.9 oz | 1 |
| LHN-IRS1-N347-WH | LHN-IRS1-N347-WH | 640181709486 | LightHAWK2 Night Light Passive Infrared Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 347VAC, 1000 Sq. Ft., Photocell, White | | | ● | | | 2.9 oz | 1 |



Wall Switch Sensors & Digital Timer

- Adjustable time delay and sensitivity
- No minimum load requirement
- Built-in photocell for daylight harvesting
- Walk test indicator
- Dual 120/277 VAC operation
- UL and cUL listed
- 5-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| IWSZP3PI | IWSZP3PI | 640181100504 | Passive Infrared Wall Switch Sensor, Auto ON / Auto OFF, 120/277VAC, 900 Sq. Ft., Ivory | | | ● | | | 2.9 oz | 1 |
| IWSZP3PW | IWSZP3PW | 640181100559 | Passive Infrared Wall Switch Sensor, Auto ON / Auto OFF, 120/277VAC, 900 Sq. Ft., White | | | ● | | | 2.9 oz | 1 |
| IWSZPMI | IWSZPMI | 640181101105 | Passive Infrared Wall Switch Sensor, Manual ON / Auto OFF, 120/277VAC, 900 Sq. Ft., Ivory | | | ● | | | 2.9 oz | 1 |
| IWSZPMW | IWSZPMW | 640181101150 | Passive Infrared Wall Switch Sensor, Manual ON / Auto OFF, 120/277VAC, 900 Sq. Ft., White | | | ● | | | 2.9 oz | 1 |
| TD300 | TD300 | 640181700001 | Digital Programmable Timer, 120/277 VAC, White | | | ● | | | 2.9 oz | 1 |



UL924 Relays

- 20 Amp 120/277VAC Relay
- N/C isolated contacts
- No minimum load requirement
- UL listed
- Five-year limited warranty
- Dual 120-277 VAC operation

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| UL924SR2 | UL924SR2 | 640181500021 | UL924 N/C Shunt Relay 120/277V, 20A SPDT with 277VAC Coil | | | ● | | | 2 oz | 1 |
| UL924BRUNV | UL924BRUNV | 640181500038 | UL924 Emergency Control Relay (Shunt or Bypass) with auto test 120-277VAC Coil | | | ● | | | 2 oz | 1 |
| UL924BRLN1 | UL924BRLN1 | 640181500045 | UL924 Emergency Transfer Control Relay with manual test 120VAC Coil, 0-10V control | | | ● | | | 2 oz | 1 |



NX™ Distributed Intelligence Lighting Control

- Digital SmartPORT technology provides auto-configuration of switches and sensors
- RJ45 connectivity eliminates field wiring errors and simplifies installation
- Integral push-buttons and LED indicators aid in installation and troubleshooting
- Compact housing provides up to two relays and two dimming channels
- Connect up to 8 NX Room Controllers for a total of 16 loads
- Installs in the plenum above the controlled area eliminating home run wiring

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| NXBTR | NXBTR | 640181710505 | Wireless bridge for Bluetooth radio communication with Room Controller | | | ● | | | 4 oz | 1 |
| NXRC-1R-UNV | NXRC-1R-UNV | 640181710420 | NX Room Controller, 1 Relay, Universal Voltage | | | ● | | | 4 oz | 1 |
| NXRC-2R-UNV | NXRC-2R-UNV | 640181710444 | NX Room Controller, 2 Relay, Universal Voltage | | | ● | | | 4 oz | 1 |
| NXRC-1RD-UNV | NXRC-1RD-UNV | 640181710437 | NX Room Controller, 1 Relay, 0 - 10V Dimming, Power Monitoring, Universal Voltage | | | ● | | | 4 oz | 1 |
| NXRC-2RD-UNV | NXRC-2RD-UNV | 640181710451 | NX Room Controller, 2 Relay, 0 - 10V Dimming, Power Monitoring, Universal Voltage | | | ● | | | 4 oz | 1 |
| NXHNB | NXHNB | 640181710604 | NC Bridge module for wired connection between one Room Controller zone and the HubbNET network | | | ● | | | 1.6 oz | 1 |
| NXSW-1-WH | NXSW-1-WH | 640181711229 | NX Digital Toggle Switch, 1 Button, Momentary, Pilot, White | | | ● | | | 1.6 oz | 1 |
| NXSW-1-IV | NXSW-1-IV | 640181711205 | NX Digital Toggle Switch, 1 Button, Momentary, Pilot, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-1-LA | NXSW-1-LA | 640181711212 | NX Digital Toggle Switch, 1 Button, Momentary, Pilot, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-2-WH | NXSW-2-WH | 640181711274 | NX Digital Toggle Switch, 2 Buttons, Momentary, Pilot, White | | | ● | | | 1.6 oz | 1 |
| NXSW-2-IV | NXSW-2-IV | 640181711250 | NX Digital Toggle Switch, 2 Buttons, Momentary, Pilot, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-2-LA | NXSW-2-LA | 640181711267 | NX Digital Toggle Switch, 2 Buttons, Momentary, Pilot, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-3-WH | NXSW-3-WH | 640181711328 | NX Digital Toggle Switch, 3 Buttons, Momentary, Pilot, White | | | ● | | | 1.6 oz | 1 |
| NXSW-3-IV | NXSW-3-IV | 640181711304 | NX Digital Toggle Switch, 3 Buttons, Momentary, Pilot, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-3-LA | NXSW-3-LA | 640181711311 | NX Digital Toggle Switch, 3 Buttons, Momentary, Pilot, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-4-WH | NXSW-4-WH | 640181711373 | NX Digital Toggle Switch, 4 Buttons, Momentary, Pilot, White | | | ● | | | 1.6 oz | 1 |
| NXSW-4-IV | NXSW-4-IV | 640181711359 | NX Digital Toggle Switch, 4 Buttons, Momentary, Pilot, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-4-LA | NXSW-4-LA | 640181711366 | NX Digital Toggle Switch, 4 Buttons, Momentary, Pilot, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-6-WH | NXSW-6-WH | 640181711427 | NX Digital Toggle Switch, 6 Buttons, Momentary, Pilot, White | | | ● | | | 1.6 oz | 1 |
| NXSW-6-IV | NXSW-6-IV | 640181711403 | NX Digital Toggle Switch, 6 Buttons, Momentary, Pilot, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-6-LA | NXSW-6-LA | 640181711410 | NX Digital Toggle Switch, 6 Buttons, Momentary, Pilot, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-SS-WH | NXSW-SS-WH | 640181711823 | NX Digital Scene Switch, 6 Buttons, 4 Presets, Raise/Lower, White | | | ● | | | 1.6 oz | 1 |
| NXSW-SS-IV | NXSW-SS-IV | 640181711809 | NX Digital Scene Switch, 6 Buttons, 4 Presets, Raise/Lower, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-SS-LA | NXSW-SS-LA | 640181711816 | NX Digital Scene Switch, 6 Buttons, 4 Presets, Raise/Lower, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-SS-GY | NXSW-SS-GY | 640181711793 | NX Digital Scene Switch, 6 Buttons, 4 Presets, Raise/Lower, Gray | | | ● | | | 1.6 oz | 1 |
| NXSW-SS-BK | NXSW-SS-BK | 640181711786 | NX Digital Scene Switch, 6 Buttons, 4 Presets, Raise/Lower, Black | | | ● | | | 1.6 oz | 1 |

NX™ Distributed Intelligence Lighting Control (Continued)

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| NXSW-RL-WH | NXSW-RL-WH | 640181711724 | NX Digital Switch Station, 2 Buttons, Raise/Lower, White | | | ● | | | 1.6 oz | 1 |
| NXSW-RL-IV | NXSW-RL-IV | 640181711700 | NX Digital Switch Station, 2 Buttons, Raise/Lower, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-RL-LA | NXSW-RL-LA | 640181711717 | NX Digital Switch Station, 2 Buttons, Raise/Lower, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-RL-GY | NXSW-RL-GY | 640181711694 | NX Digital Switch Station, 2 Buttons, Raise/Lower, Gray | | | ● | | | 1.6 oz | 1 |
| NXSW-RL-BK | NXSW-RL-BK | 640181711687 | NX Digital Switch Station, 2 Buttons, Raise/Lowers, Black | | | ● | | | 1.6 oz | 1 |
| NXSW-OO-WH | NXSW-OO-WH | 640181711526 | NX Digital Switch Station, On/Off, White | | | ● | | | 1.6 oz | 1 |
| NXSW-OO-IV | NXSW-OO-IV | 640181711502 | NX Digital Switch Station, On/Off, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-OO-LA | NXSW-OO-LA | 640181711519 | NX Digital Switch Station, On/Off, Light Almond | | | ● | | | 1.6 oz | 1 |
| NXSW-ORLO-WH | NXSW-ORLO-WH | 640181711571 | NX Digital Switch Station, On/Raise/Lower/Off, White | | | ● | | | 1.6 oz | 1 |
| NXSW-ORLO-IV | NXSW-ORLO-IV | 640181711557 | NX Digital Switch Station, On/Raise/Lower/Off, Ivory | | | ● | | | 1.6 oz | 1 |
| NXSW-ORLO-LA | NXSW-ORLO-LA | 640181711564 | NX Digital Switch Station, On/Raise/Lower/Off, Light Almond | | | ● | | | 1.6 oz | 1 |



CX Commercial Lighting Control Panel

- 4 Relay Panel sizes: 4, 8, 16 & 24
- Four types of relays - 20A/1P and 20A/2P, NO (14K SCCR) and 30A/P latching (18K SCCR)
- Optional dimming control of 0-10V drivers & dimmable ballasts
- LCD user interface with keypad
- Programmable inputs accept low voltage switches, photocells, or motion sensors
- 365 day programming with 64 schedules
- Five-year limited warranty
- UL and cUL listed

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|--------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| CX042S042NN | CX042S042NN | 640181200563 | CX Lighting Control Panel, 4 Relay 120/277V Input, with 4-20A/1P Elect. Held N/O Relays Nema 1 Sur. Encl. Stand Alone | | | ● | | | 3 oz | 1 |
| CX042S043LN | CX042S043LN | 640181200570 | CX Lighting Control Panel, 4 Relay 120/277V Input, with 4-30A/1P Latching Relays Nema 1 Sur. Encl. Stand Alone | | | ● | | | 3 oz | 1 |
| CX082S083LM | CX082S083LM | 640181200631 | CX Lighting Control Panel, 8 Relay 120/277V Input, with 8-30A/1P Latching Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CX082S082NM | CX082S082NM | 640181200624 | CX Lighting Control Panel, 8 Relay 120/277V Input, with 8-20A/1P Elect. Held N/O Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CX162S162NM | CX162S162NM | 640181200921 | CX Lighting Control Panel, 16 Relay 120/277V Input, with 16-20A/1P Elect. Held N/O Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CX162S163LM | CX162S163LM | 640181200938 | CX Lighting Control Panel, 16 Relay 120/277V Input, with 16-30A/1P Latching Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CX242S242NM | CX242S242NM | 640181201041 | CX Lighting Control Panel, 24 Relay 120/277V Input, with 24-20A/1P Elect. Held N/O Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CX242S243LM | CX242S243LM | 640181201058 | CX Lighting Control Panel, 24 Relay 120/277V Input, with 24-30A/1P Latching Relays Nema 1 Sur. Encl. Master | | | ● | | | 3 oz | 1 |
| CXDIMCONTRBD | CXDIMCONTRBD | 640181701633 | CX Lighting Control Panel 8-Channel Dimming Controller Option Board | | | ● | | | 3 oz | 1 |



CX Commercial Lighting Low Voltage Programmable Wall Switches

- Programmable for a variety of button functions
- Attractive, architecturally-pleasing decorator style design
- Function specific button caps supplied with units
- Use standard decorator wall plates (order separately)
- Connect using CAT5 cables, 3" jumper supplied
- Listed to UL916 standard and cUL
- Five-year limited warranty

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|---|-------|-------|-------|-------|-------|----------|----------|
| CXSW-1-LA | CXSW-1-LA | 640181712189 | CX Low Voltage, 1 Button, Programmable Switch, No Pilot, Light Almond | | | ● | | | 3 oz | 1 |
| CXSW-1-WH | CXSW-1-WH | 640181712080 | CX Low Voltage, 1 Button, Programmable Switch, No Pilot, White | | | ● | | | 3 oz | 1 |
| CXSW-1-IV | CXSW-1-IV | 640181712134 | CX Low Voltage, 1 Button, Programmable Switch, No Pilot, Ivory | | | ● | | | 3 oz | 1 |
| CXSW-2-LA | CXSW-2-LA | 640181712196 | CX Low Voltage, 2 Button, Programmable Switch, No Pilot, Light Almond | | | ● | | | 3 oz | 1 |
| CXSW-2-WH | CXSW-2-WH | 640181712097 | CX Low Voltage, 2 Button, Programmable Switch, No Pilot, White | | | ● | | | 3 oz | 1 |
| CXSW-2-IV | CXSW-2-IV | 640181712141 | CX Low Voltage, 2 Button, Programmable Switch, No Pilot, Ivory | | | ● | | | 3 oz | 1 |
| CXSW-3-LA | CXSW-3-LA | 640181712202 | CX Low Voltage, 3 Button, Programmable Switch, No Pilot, Light Almond | | | ● | | | 3 oz | 1 |
| CXSW-3-WH | CXSW-3-WH | 640181712103 | CX Low Voltage, 3 Button, Programmable Switch, No Pilot, White | | | ● | | | 3 oz | 1 |
| CXSW-3-IV | CXSW-3-IV | 640181712158 | CX Low Voltage, 3 Button, Programmable Switch, No Pilot, Ivory | | | ● | | | 3 oz | 1 |
| CXSW-4-LA | CXSW-4-LA | 640181712219 | CX Low Voltage, 4 Button, Programmable Switch, No Pilot, Light Almond | | | ● | | | 3 oz | 1 |
| CXSW-4-WH | CXSW-4-WH | 640181712110 | CX Low Voltage, 4 Button, Programmable Switch, No Pilot, White | | | ● | | | 3 oz | 1 |
| CXSW-4-IV | CXSW-4-IV | 640181712165 | CX Low Voltage, 4 Button, Programmable Switch, No Pilot, Ivory | | | ● | | | 3 oz | 1 |
| CXSW-6-LA | CXSW-6-LA | 640181712226 | CX Low Voltage, 6 Button, Programmable Switch, No Pilot, Light Almond | | | ● | | | 3 oz | 1 |
| CXSW-6-WH | CXSW-6-WH | 640181712127 | CX Low Voltage, 6 Button, Programmable Switch, No Pilot, White | | | ● | | | 3 oz | 1 |
| CXSW-6-IV | CXSW-6-IV | 640181712172 | CX Low Voltage, 6 Button, Programmable Switch, No Pilot, Ivory | | | ● | | | 3 oz | 1 |



wiSTAR™ Wireless Lighting Controls

- Patented Energy Harvesting Wireless Technology enables simple retrofit into existing structures
- 902 MHz reliable, long range wireless communications for applications
- Self-powered wireless switches and sensors collect and save energy from their environment
- Controlled devices can react individually or as part of a scene or event

| Part Number | Catalog Number | UPC Code | Description | CA 03 | GA 27 | IL 06 | PA 10 | TX 04 | Wt. each | Ctn. Qty |
|-------------|----------------|--------------|--|-------|-------|-------|-------|-------|----------|----------|
| WIS-ISM-WH | WIS-ISM-WH | 640181700018 | wiSTAR™ In-Line Switch Module, 120-277V, EnOcean, 902MHz, White | | | ● | | | 3.2 oz | 1 |
| WIS-PSM-WH | WIS-PSM-WH | 640181700087 | wiSTAR™ Plug-In Switch Module, EnOcean, 902MHz, White | | | ● | | | 12.3 oz | 1 |
| WIS-SRP-WH | WIS-SRP-WH | 640181700025 | wiSTAR™ Single Rocker Pad Switch, EnOcean, 902MHz, White | | | ● | | | 3.98 oz | 1 |
| WIS-DRP-WH | WIS-DRP-WH | 640181700032 | wiSTAR™ Double Rocker Pad Switch, EnOcean, 902MHz, White | | | ● | | | 3.98 oz | 1 |
| WIS-KCS-WH | WIS-KCS-WH | 640181700063 | wiSTAR™ Key Card Switch, EnOcean, 902MHz, White | | | ● | | | 3.5 oz | 1 |
| WIS-OSC-WH | WIS-OSC-WH | 640181700049 | wiSTAR™ Occupancy Sensor - Ceiling Mounted, EnOcean, 902MHz, White | | | ● | | | 7 oz | 1 |
| WIS-OSW-WH | WIS-OSW-WH | 640181700056 | wiSTAR™ Occupancy Sensor - Wall Mounted, EnOcean, 902MHz, White | | | ● | | | 7 oz | 1 |
| WIS-DSM-WH | WIS-DSM-WH | 640181700070 | wiSTAR™ Daylight Sensor Module, EnOcean, 902MHz, White | | | ● | | | 7 oz | 1 |