

Juno® Trac-Lites™ Low Voltage Spotlights

Stylish, economical spotlights to complement any interior





Juno® Trac-Lites™ Low Voltage Spotlights

The perfect blend of form, function and value, Juno Trac-Lites is the system of choice. A wide variety of low voltage spotlights are available to illuminate many of today's most stylish interiors. No matter what your application, you are sure to find the solutions you need at prices you can afford.









K/U9

R710

Juno® Low Voltage Spotlights MR16


R707 Rocket



12V, 20-50W MR16CG

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Requires 12V MR16 cover glass lamp except when used with T7400 Accessory Holder.

Finishes: White (WH) with Opal Frost glass, Black (BL) with Opal Frost glass, Satin Chrome (SC) with Opal Frost glass, Painted Bronze (BZ) with Amber Frost glass



R708 Odyssey



12V, 20-50W MR16

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Satin Chrome (SC), Painted Bronze (BZ)




R709 Flare



12V, 20-50W MR16CG

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Requires 12V MR16 cover glass lamp except when used with T7400 Accessory Holder.

Finishes: White (WH), Black (BL), Satin Chrome (SC), Painted Bronze (BZ)




R710 Bell



12V. 20-50W MR16CG

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Integral baffle and deep lamp regression for optimal lamp shielding. Aiming locks help retain fixture position during relamping. Requires 12V MR16 cover glass lamp.

Finishes: White (WH), Black (BL), Satin Chrome (SC), Hand-Rubbed Bronze (BZ)



All Trac-Lites™ low voltage fixtures are also compatible with Juno Trac-Master™ single and two-circuit trac systems.







R705

Juno® Low Voltage Spotlights MR16


R703 Funnel



12V, 20-50W MR16

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Integral step baffle and deep lamp regression for optimal lamp shielding. Aiming locks help retain fixture position during relamping. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Silver (SL), Painted Bronze (BZ)




R704 Step Glass



12V, 20-50W MR16CG

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Aiming locks help retain fixture position during relamping. Requires 12V MR16 cover glass lamp except when used with T7400 Accessory Holder.

Finishes: White (WH) with Opal Frost glass, Black (BL) with Opal Frost glass, Silver (SL) with Opal Frost glass, Painted Bronze (BZ) with Amber Frost glass




R705 Barn Doors



12V, 20-50W MR16CG

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Barn Doors painted to match fixture finish. Aiming locks help retain fixture position during relamping. Requires 12V MR16 cover glass lamp.

Finishes: White (WH), Black (BL), Silver (SL), Painted Bronze (BZ)



All Trac-Lites™ low voltage fixtures are also compatible with Juno Trac-Master™ single and two-circuit trac systems.







Juno® Low Voltage Spotlights MR16


R706 Trumpet



12V, 20-50W MR16

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Satin Chrome (SC), Painted Bronze (BZ)



R741 Cast Cube



12V, 20-50W MR16

Complete unit includes a miniature 12V, 50VA solid state electronic transformer. Aiming locks help retain fixture position during relamping. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Satin Chrome (SC), Painted Bronze (BZ)




R701 Cylinder



12V, 20-50W MR16

Complete unit includes 12V, 50VA solid state electronic transformer. Aiming lock helps retain fixture position during relamping. Accepts one 2" accessory.

Finishes: White (WH), Black (BL)









117 0 1

Juno® Low Voltage Spotlights MR16


R702 Round Back



12V, 20-50W MR16

With black bezel. Complete unit includes 12V, 50VA solid state electronic transformer. Accepts one 1-3/4" accessory.

Finishes: White (WH), Black (BL), Painted Bronze (BZ)



R731 Gimbal Ring



12V, 20-50W MR16

Complete unit includes 12V, 50VA solid state electronic transformer. Aiming lock helps retain fixture position during relamping. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Silver (SL), Painted Bronze (BZ)




R740 Pinchback



12V, 20-50W MR16

Complete unit includes 12V, 50VA solid state electronic transformer. Aiming lock helps retain fixture position during relamping. Accepts one 2" accessory.

Finishes: White (WH), Black (BL), Painted Bronze (BZ)





Juno® Low Voltage Accessories

		1 3/4"	Compatible With	2"	Compatible With
Accessory Holders Required for listed fixtures. Accepts one filter, lens, and louver except where noted.				T7400BL T7400SA Accepts up to 2 Accessories	R704, R707, R709
Light Control Lenses These alter the light distribution of a given lamp, enlarging or elongating it, softeningthe beam edge or removing striations. UV Filters These museum quality lenses filter out ultraviolet radiation below 400 nanometers to protect fade sensitive art and objects.	Light Control Lenses Linear Spread Lens Prismatic Spread Lens Uniformity Lens Diffusion Lens UV Filter	LSPREAD 175 PRISM 175 SOLITE 175 DIFF 175 UVF 175		LSPREAD 200 PRISM 200 SOLITE 200 DIFF 200 UVF 200	R701, R703, R731, R740 and fixtures with T7400 Accessory Holder
Color Correction Filters Color Correction Filters correct the light, either to warm it up to approximate incandescent, or cool it down to approximate daylight.	Color Correction Filters Halogen-to-Incandescent, 2700K	DCCF 175	R702	DCCF 200	
	Halogen-to-Daylight, 4250K	HAL2700 DCCF 175 HL4250		DCCF 200 HL4250	
Color Filters These change white light into colored light and are available in colored glass and more efficient/saturated dichroic glass filters.	Colored Glass Filters Medium Pink Warm Red Daylight Blue Medium Blue Medium Green Dichroic Glass Filters Red Medium Green Medium Blue Yellow Magenta Blue Green (Cyan)	CGF 175 MPINK CGF 175 MBLU CGF 175 MAMB DGF 175 DRED DGF 175 MGRN DGF 175 MBLU DGF 175 DYEL DGF 175 MAGEN DGF 175 TYPEL DGF 175 CYAN		CGF 200 MPINK CGF 200 WRED CGF 200 DLTBLUE CGF 200 MBLU CGF 200 MGRN DGF 200 DRED DGF 200 MGRN DGF 200 MBLU DGF 200 DYEL DGF 200 MAGEN DGF 200 CYAN	R701, R703, R706, R708, R731, R740, R741 and fixtures with T7400 Accessory Holder
Louvers Hexcell louvers reduce perceived fixture brightness.	Hexcell Louver	HCLBL 175		HCLBL 200	





©2017 Acuity Brands Lighting, Inc. The marks appearing in this catalog are trademarks of Acuity Brands Lighting, Inc. Products shown in this brochure may be covered by U.S. and international patents and patents pending. Specifications subject to change without notice. Printed in the U.S.A.