



RSS56C	12.81	6.69	2.44			
PSS56C	12.31	6.19	1.94	ZSS56C	16.31	10.19
NSS56C	11.81	5.69	1.44	YSS56C	15.81	9.69
MSS56C	11.31	5.19	.94	XSS56C	15.31	9.19
LSS56C	10.81	4.69	.44	WSS56C	14.81	8.69
KSS56C	10.31	4.19	-.06	VSS56C	14.31	8.19
JSS56C	9.81	3.69	-.56	USS56C	13.81	7.69
HSS56C	9.31	3.19	-1.06	TSS56C	13.31	7.19
FRAME DESIGN.	"C"	"L"	"AD"	FRAME DESIGN.	"C"	"L"

- NOTES:
1. THE SHORTEST FRAME DESIGNATION SIZE FOR THE BASE OPTION IS "KSS56C".
 2. MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 3. MAXIMUM PILOT ECCENTRICITY .004 T.I.R
 4. PERMISSIBLE SHAFT RUNOUT .002 T.I.R.
 5. GASKETS THROUGHOUT.

07	ADDED FAN GUARD HOLE PLUG, ISAAC 10-4174	IPG	10/11/10					ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN	JRA 5/11/95			
06	CHANGED TO MYLAR NAMEPLATE PER ISAAC 08-2458.	RPB	8/1/08	BC	DEC.	INCHES			CHK				
05	ADDED Ø TO 4.500 DIM OF ENDBELL FACE; ECR 88052	KLS	8/22/05	IPG	.X	±.1	APPD						
04	ADDED BASE DECAL PER ECR 73341	RLW	8/16/01	CRK	.XX	±.03	SCALE	5=8					
03	REMOVED "BASE OPTIONAL" DIM AND CHANGED FRAME DECAL TO BASE DECAL ECR 78338	SAD	8/13/01	CJK	.XXX	±.005	REF	RDOU42DC6					
					.XXXX	±.0005	FMF	C42D17FK1					
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	PREV						
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT								RFP	CAD FILE	027620	SIZE	DRAWING NO.	REV.
								DIST			B	027620	07