

47605-ACS



UPC Code: 07847709384
Country Of Origin: Mexico

*Eligible for ARRA funded projects > \$7,443,000

NEMA: 5-15R





47605-ACS

Brand Features

Leviton offers reliable surge protective AC Power Modules and J-Box kits. Both the AC Power Module and the J-Box kits work with the Series 140, 280 and 420 Structured Media Centers. Choose either surge protective for optimum protection or non-surge protective. The surge protected options provide EMI/RFI filtering that meets UL 1449 standards. The AC Power Modules feature two 15-Amp duplex receptacles and the J-Box kit features one 15-Amp duplex receptacle.

Item Description

J-Box Surge Protective Kit (one duplex blue receptacle)

Technical Information

Electrical Ratings

Type: AC Power Module **Output Power:** 15 Amp

Input Voltage: 120 Volt AC

Output Voltage: 120 Volt
Material Specifications

Enclosure Material: Powder-Coated

Stee

Mechanical Specifications

Quantity of Outlets: 2

Performance Data

Noise Rejection: -30dB at 500kHz-

30MHz

Max Surge Current L-N: 24kA

Diagnostics: Indicator Light & Audible

Alarm

Joules at 10/1000 micro-sec: 720 UL1449 Impulse 6kV/500A L-G: 400V

MCOV: 150V rms
Product Features

Series Compatibility: 140, 280, 420

Series Compatible

Type: AC Power Module
Warranty: 2 Year Limited
Output Power: 15 Amp
Quantity of Outlets: 2
Input Voltage: 120 Volt AC
Standards and Certifications: UL

Output Voltage: 120 Volt

Feature: Surge NEMA: 5-15R Standards and Certifications **UL498HG:** File E13399

CSA C22.2 No. 42: File 152105

UL1449 Std. 2nd Edition: File E146315

ANSI: C-73 **NOM**: 057 **NEMA**: WD-6

Features and Benefits

- Hospital Grade surge-protected units provide greater protection for line-voltage modules, including multi-stage defense L-N,L-G,N-G.
- Provides 2 Outlets of protected power.
- Safety Clips protect outlets against dust, dirt and debris.
- Cable knockout on bottom for power service connection.
- Saves valuable real estate by mounting on outside of Structured Media Enclosures.
- Features EMI/RFI filtering and meets UL1449 standards.

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Teléfono: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 · FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012 Leviton Manufacturing Co., Inc. Todos los derechos reservados. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

*Leviton is the smart choice, providing the most comprehensive range of solutions to meet the needs of today's residential, commercial and industrial buildings. Leveraging more than a century of experience, Leviton helps customers create sustainable, intelligent environments through its electrical wiring devices, network and data center connectivity solutions, and lighting energy management systems. From switches and receptacles, to daylight harvesting controls, networking systems, and equipment for charging electric vehicles, Leviton solutions help customers achieve savings in energy, time and cost, all while enhancing safety.

