

HEX ROD COUPLINGS

STEEL ZINC CHROMATE AND STAINLESS STEEL

UPC	HEX			WT.	STD.	SUGGESTED	
NO.	SIZE	SIZE	LENGTH	PER PKG.	PKG.	TRADE LIST PRICE PER	
21705	1/4-20	$^{3}/_{8}$	⁷ / ₈	1.02	50	33.06/c	
21710	⁵ / ₁₆ -18	³ / ₈	⁷ / ₈	1.21	50	40.36/c	
21715	³ / ₈ -16	1/2	1	1.87	50	45.16/c	
23328	³ / ₈ -16	1/2	13/4	5.71	50	77.26/c	NEW
21720	1/2-13	5/8	11/4	1.46	25	56.20/c	
23329	$^{1}/_{2}$ -13	5/8	$1^{3}/_{4}$	2.95	25	246.20/c	NEW
21725	⁵ / ₈ -11	3/4	$1^{1}/_{2}$	2.24	25	172.80/c	NEW
21728	3/4-10	⁷ / ₈	11/4	7.19	25	471.30/c	NEW
S STEEL							
10644	1/4-20	³ / ₈	7/8	1.02	50	461.66/c	
10645	⁵ / ₁₆ -18	³ / ₈	⁷ / ₈	1.40	50	566.40/c	
21726	$^{3}/_{8}$ -16	$^{1}/_{2}$	1	1.87	50	741.36/c	
21727	¹ /2-13	⁵ / ₈	$1^{1}/_{4}$	1.52	25	915.52/c	
22830	⁵ / ₈ -11	3/4	11/2	9.68	50	1840.46/c	NEW
6							
94828	$^{3}/_{8}$ -16	$^{1}/_{2}$	1	1.89	50	1046.50/c	NEW
94829	¹ /2 -1 3	⁵ / ₈	$1^{1}/_{4}$	2.85	50	1443.46/c	NEW
	21705 21710 21715 23328 21720 23329 21725 21728 S STEL 10644 10645 21726 21727 22830 6	NO. SIZE 21705	NO. SIZE SIZE 21705	NO. SIZE SIZE LENGTH 21705	NO. SIZE SIZE LENGTH PER PKG. 21705	NO. SIZE SIZE LENGTH PER PKG. PKG. 21705	NO. SIZE SIZE LENGTH PER PKG. PKG. TRADE LIST PRICE PER 21705

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



REDUCING ROD COUPLING

Steel Zinc Chromate

STOCK NO.	UPC NO.	SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
RCTR28	21706	$^{3}/_{8}$ -16 x $^{1}/_{4}$ -20	2.02	50	72.50/c	
RCTR27	21704	$^{3}/_{8}$ -16 x $^{5}/_{16}$ -18	2.35	50	81.86/c	NEW

PLEASE CALL

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

THREADED ROD

STEEL ZINC CHROMATE AND STAINLESS STEEL THREADED ROD SOLD ONLY IN FULL BUNDLE QUANTITIES



STOCK NO.	UPC NO.	SIZE
18-8 TYPE STAIL	NLESS STEEL	
TRS6/6SS	10619	$^{1}/_{4}$ -20 x 6 1
TRS7/6SS	10618	⁵ / ₁₆ -18 x 6 ¹
TRS8/6SS	10616	$^{3}/_{8}$ -16 x 6 ¹
TRS9/6SS	10617	¹ / ₂ -13 x 6 ¹
TRS106SS	21677	⁵ / ₈ -11 x 6 ¹

FOR BUNDLE QUANITIES AND PRICING 1-800-243-8272 EAST 1-800-269-5183 WEST

Domestic rod available by request galvanized, 316 stainless steel, plain, please call for pricing other sizes and quantities available by request

CTOCK	-	
STOCK	LIBCAIO	CLZE
NO.	UPC NO.	SIZE
STEEL ZINC CH	ROMATE	
TRS6/3	21613	$^{1}/_{4}$ -20 x 3 1
TRS7/3	21614	$^{5}/_{16}$ -18 x 3 1
TRS8/3	21617	$^{3}/_{8}$ -16 x 3 1
TRS9/3	21618	¹ / ₂ -13 x 3 ¹
TRS6/6B	21640	$^{1}/_{4}$ -20 x 6 1
TRS7/6	21610	⁵ / ₁₆ -18 x 6 ¹
TRS8/6B	21645	$^{3}/_{8}$ -16 x 6 1
TRS9/6B	21650	$^{1}/_{2}$ -13 x 6 1
TRS106	21607	⁵ / ₈ -11 x 6 ¹
TRS11/6	21580	$^{3}/_{4}$ -10 x 6 1
TRS610	21606	$^{1}/_{4}$ -20 x 10 1
TRS710	21604	$\frac{5}{16}$ -18 x 10 ¹
TRS810	21616	$^{3}/_{8}$ -16 x 10 1
TRS910	21621	$^{1}/_{2}$ -13 x 10 1
TRS1010	21685	⁵ / ₈ -11 x 10 ¹
TRS1110	21690	$^{3}/_{4}$ -10 x 10 1



Metallics



For Flanges 1/8" - 1/4" thick.



Knock-On beam clamp for flanges 1/8" - 1/4" thick, such as I-beam flanges. Made of high quality spring steel.

Features:

- For Flanges 1/8" 1/4" thick.
- Hole will accommodate jack chain, ceiling wire or a 1/4" bolt.
- Made of high quality spring steel.

PART #	UPC#	DESCRIPTION	QTY / PKG	SUG. TRADE LIST / PKG
MHOK24C	4C 81923 Knock-On Spring Steel Beam Clamp		100	\$ 92.50
MHOK24M	81924	Knock-On Spring Steel Beam Clamp	1000	\$ 825.00

"Growth Through Innovation"

Metallics

229 Cross Street, Bristol, CT 06010

Tel 800-243-8272 • Fax 800-831-9358

Email sales@metallicsonline.com

Metallics West





For Flanges 5/16" - 1/2" thick.





Knock-On beam clamp for flanges 5/16" - 1/2" thick, such as I-beam flanges. Made of high quality spring steel.

Features:

- For Flanges 5/16" 1/2" thick.
- Hole will accommodate jack chain, ceiling wire or a 1/4" bolt.
- Made of high quality spring steel.

PART #	UPC#	DESCRIPTION	QTY / PKG	SUG. TRADE LIST / PKG
MHOK58C	MHOK58C 81929 Knock-On Spring Steel Beam Clamp		100	\$ 100.00
MHOK58M	81930	Knock-On Spring Steel Beam Clamp	1000	\$ 900.00

Other sizes, materials and quantities available by request.

"Growth Through Innovation"

Metallics

229 Cross Street, Bristol, CT 06010

Tel 800-243-8272 • Fax 800-831-9358

Email sales@metallicsonline.com

Metallics West



Metallics SilverHawk™ Top Beam Clamp

Check up to five results to perform an action.



SilverHawk Top Beam Clamps are our strongest, lightweight top beam clamps. Made from cold rolled steel with a zinc plated finish, they are rust and corrosion resistant. These super strong SilverHawk clamps exceed UL and FM testing requirements. Zinc finish aesthetically works with plated rods and plaed swivel ring hangers.

Tested by industry professionals, SilverHawk installation is quick and easy. Their unique counter balance design makes it easy to "spin" them onto threaded rods so installation goes faster. The open back shape provides visual verification during installation.

- Supports 3/8" rod metric also available by request.
- 90° angle fits I-beam or T-bar up to 3/4" thick.
- Extruded tap holes meet FM Approvals requirements.
- Accommodates retaining strap usage.
- Competitively priced domestic par.

PART #	UPC#	DESCRIPTION	QTY / PKG	SUG. TRADE LIST / PKG
SHUBC38	81532	SilverHawk Top Beam Clamp for 3/8" threaded rod	10	\$ 21.70

Other sizes, materials and quantities available by request.

"Growth Through Innovation"

Metallics

229 Cross Street, Bristol, CT 06010

Tel 800-243-8272 • Fax 800-831-9358

Email sales@metallicsonline.com

Metallics West





SLIP-ON LOCK NUTS FOR THREADED ROD

STEEL ZINC PLATED PACKAGED IN POLY BAGS

STOCK NO.	UPC NO.	SIZE	HEX SIZE	ACROSS CORNERS	HEIGHT	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
SLN14	22030	1/4-20	.625	.715	.375	.11	5	18.63/ea pkg
SLN516	22032	⁵ / ₁₆ -18	.750	.865	.375	.17	5	21.15/ea pkg
SLN38	22034	3/8-16	.875	1.01	.490	.38	5	24.18/ea pkg
SLN12	22036	1/2-13	1.068	1.23	.625	.48	5	28.53/ea pkg

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST





BEAM CLAMPS
ZINC PLATED STEEL AND MALLEABLE IRON

PACKAGED IN POLY BAGS

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
BC14	81525	1/4-20 Zinc Plated	1.16	10	12.08/ea pkg
BC38	81530	³ / ₈ -16 Zinc Plated	2.86	10	23.53/ea pkg
MBC14	81535	1/4-20 Malleable Iron	2.00	10	11.43/ea pkg
MBC38	81537	3/8-16 Malleable Iron	6.81	10	50.38/ea pkg
MBC12	81539	¹ / ₂ -13 Malleable Iron	13.20	10	63.78/ea pkg

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SWIVEL FIXTURE HANGERS

For 4" Square And Octagonal Boxes Steel Zinc Chromate

PACKAGED 1 PER POLY BAG

STOCK NO.	UPC NO.	SIZE	WT. EACH	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MSC50	81541	Sq. box/pivot threaded for 1/2" npt pipe	.71	1	27.70/ea
MSC75	81543	Sq. box/pivot threaded for 3/4" npt pipe	.68	1	27.70/ea
MSC50R	81545	Oct. box/pivot threaded for 1/2" npt pipe	.63	1	27.70/ea
MSC75R	81547	Oct. box/pivot threaded for 3/4" npt pipe	.59	1	27.70/ea

PAINTED WHITE AVAILABLE BY SPECIAL QUOTE

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SLIP-ON LOCK NUT KIT

STOCK NO.	UPC NO.	DESCRIPTION OF CONTENTS	WT. Each	SUGGESTED TRADE LIST PRICE PER	
SLNK1	22040	¹ / ₄ & ³ / ₈ Slip-On Lock Nut Kit (25 pcs. each size)	1.98	205.33/ea kit	
SLNK2	22041	3/8 Slip-On Lock Nut Kit (50 pcs.)	2.00	205.33/ea kit	



J-BOLTS
STEEL ZINC CHROMATE & GALVANIZED PACKAGED 10 PER POLY BAG



STOCK NO.	UPC NO.	THREAD LENGTH	THREAD SIZE/ OVERALL LENGTH	INSIDE HOOK DIA.	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
BTJ1	81055	$1^{1}/_{2}$	$^{1}/_{4}$ -20 x $^{25}/_{16}$	⁷ / ₁₆	.31	10	2.80/ea pkg
BTJ4	81061	$1^{1}/_{2}$	$^{1}/_{4}$ -20 x 4	⁷ / ₁₆	.52	10	6.85/ea pkg
BTJ2	81057	2	$^{5}/_{16}$ -18 x 3	1/2	.66	10	5.23/ea pkg
BTJ3	81059	$2^{1}/_{4}$	$^{3}/_{8}$ -16 x $3^{3}/_{4}$	⁵ / ₈	1.18	10	9.28/ea pkg
GALVANIZ	ZED						
BTJ6G	81656	2	$^{1}/_{2}$ -13 x 3 $^{1}/_{2}$	1/2	4.95	10	222.50/ea pkg

HEXAGON NUTS AND WASHERS ORDERED SEPARATELY

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



COMMUNICATION RACK J-BOLT KIT

STOCK NO.	UPC NO.	DESCRIPTION	WT. EACH	SUGGESTED TRADE LIST PRICE PER
BTJK516	20325	⁵ / ₁₆ J-Hook Kit	2.13	29.88/ea kit
		25 ⁵ / ₁₆ x 3 J-Bolts		
		25 ⁵ / ₁₆ x 3 Hex Lock Nuts Steel Zinc		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HOOK AND HOOK TURNBUCKLES



Malleable Iron and STEEL ZINC CHROMATE PACKAGED 1 EACH PER POLY BAG

STOCK		THREAD	OVERALL LENGTH	OVERALL LENGTH	WT.	STD.	SUGGESTED TRADE	
NO.	UPC NO.	DIAMETER	CLOSED	OPEN	PER PKG.	PKG.	LIST PRICE PER	
TBH14	81577	1/4 - 20	$5^{1}/_{2}$	$7^{5}/_{8}$	0.18	1	6.38/ea	
TBH516	81579	⁵ / ₁₆ - 18	$6^{3}/_{4}$	$9^{1}/_{4}$	0.33	1	10.03/ea	
TBH38	81581	³ / ₈ - 16	$7^{1}/_{2}$	101/2	0.52	1	14.45/ea	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



EYE BOLTS WITH HEX NUTS

STOCK NO.	UPC NO.	THREAD LENGTH	THREAD/SIZE OVERALL LENGTH	INSIDE EYE SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
JEB6	80992	$1^{1}/_{4}$	10-24 x 2	3/8	2.17	100	26.58/c	
JEB1	80993	3/4	$^{1}/_{4}$ -20 x 2	1/2	4.34	100	28.15/c	
JEB2	80994	1 1/4	$^{1}/_{4}$ -20 x $2^{1}/_{2}$	$^{1}/_{2}$	4.90	100	30.63/c	
JEB3	80995	$1^{3}/_{4}$	$^{1}/_{4}$ -20 x 3	1/2	5.36	100	34.80/c	
JEB4	82220	2	$^{1}/_{4}$ -20 x $3^{1}/_{2}$	1/2	5.86	100	38.88/c	
JEB9	82229	3	$^{1}/_{4}$ -20 x 5	1/2	7.45	100	78.33/c	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE



EYE BOLTS WITH HEX NUTS

STEEL ZINC CHROMATE & STAINLESS STEEL

STOCK NO.	UPC NO.	THREAD LENGTH	THREAD SIZE OVERALL LENGTH	INSIDE EYE SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
JEB5	82225	$2^{3}/_{4}$	¹ / ₄ -20 x 4	1/2	6.22	100	39.73/c	
JEB15	82236	3	$^{1}/_{4}$ -20 x 6	1/2	8.23	100	144.35/c	NEW
JEB32	82253	$2^{3}/_{4}$	$\frac{5}{16}$ -18 x $\frac{2^{3}}{8}$	1/2	8.03	100	100.73/c	NEW
JEB33	82254	1/4	$^{5}/_{16}$ -18 x 3	$^{1}/_{2}$	2.43	25	243.12/c	NEW
JEB13	82233	1	³ / ₈ -16 x 3	1	14.80	100	213.23/c	NEW
JEB12	82232	11/4	$^{3}/_{8}$ -16 x $3^{1}/_{2}$	1	13.72	100	184.78/c	NEW
JEB14	82235	2	$^{3}/_{8}$ -16 x 4	1	8.84	50	231.88/c	NEW
JEB8	81190	3	$^{3}/_{8}$ -16 x 5	1	5.13	25	122.90/ea. pkg.	
JEB11	82231	3	$^{3}/_{8}$ -16 x 6	1	5.85	25	157.08/ea. pkg.	NEW
JEB17	82238	$3^{7}/_{8}$	$^{3}/_{8}$ -16 x 8	1	7.50	25	293.95/c	NEW
JEB16	82237	3	$^{7}/_{16}$ -14 x 8	1	3.98	20	680.75/c	NEW
JEB10	82230	$3^{1}/_{4}$	$^{7}/_{16}$ -14 x 10	$1^{1}/_{8}$	4.70	10	694.80/ea. pkg.	
JEB124	77824	$1^{1}/_{4}$	$^{1}/_{2}$ -13 x 4	$1^{1}/_{8}$	7.00	100	495.18/c	NEW
STAINLES	S STEEL							
JEB1SS	94451	3/4	$^{1}/_{4}$ -20 x 2	1/2	4.25	100	PLEASE	NEW
JEB3SS	94453	13/4	$^{1}/_{4}$ -20 x 3	$^{1}/_{2}$	5.48	100		NEW
JEB13SS	94463	$2^{3}/_{8}$	$^{3}/_{8}$ -16 x $3^{7}/_{8}$	1	3.72	25	FOR Trade	NEW
JEB14SS	22228	2	³ / ₈ -16 x 4	1	17.52	100	LIST	NEW
JEB124SS	98187	11/4	¹ / ₂ -13 x 4	$1^{1}/_{8}$	7.00	25	PRICING	NEW

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SCREW EYES

Steel ZINC CHROMATE
With Lag Screw Thread



STOCK NO.	UPC NO.	OVERALL LENGTH/ HOLE DIAMETER	THREAD DIAMETER	THREAD LENGTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
JSE1	80996	$1^{5}/_{16} \times {}^{1}/_{2}"$	#8	1/2	.83	100	10.00/c	
JSE2	80997	$1^{5}/_{16} \times {}^{5}/_{8}{}''$	1/4	3/4	1.58	100	22.50/c	
JSE5*	81416	$3^{3}/_{4}$ x $^{1}/_{2}$ "	1/4	3/4	5.32	100	140.80/c	NEW
JSE3	80998	$2^{3}/_{16} \times {}^{11}/_{16}"$	9/32	7/8	4.06	100	30.28/c	
JSE4	81415	$2^{5}/_{8} \times {}^{3}/_{4}{}^{\prime\prime}$	⁵ / ₁₆	1	6.82	100	59.05/c	
JSE7*	81414	$5^{1}/_{2} \times {}^{3}/_{4}{}^{\prime\prime}$	^{7/} 16	$2^{1}/_{8}$	8.27	25	75.00/ea. pkg.	NEW
JSE8*	81418	$5^{1}/_{4} \times 1''$	1/2	$2^{1}/_{2}$	6.50	25	68.34/ea. pkg.	
JSE10*	81420	8 x 1 ¹ / ₈ "	9/16	25/8	11.65	25	120.80/ea. pkg.	
ISE6	81417	$8 \times \frac{7}{16}''$	^{7/} 16	27/8	11.50	25	162.50/ea. pkg.	NEW

^{*}DENOTES A PRODUCT NOT MANUFACTURED IN USA

SWIVEL FIXTURE HANGERS





SQUARE

OCTAGONAL

- 20° swing from vertical
- Both load rated at 50 lbs.
- Rugged hinge construction
- Hands-free fixture hanger
- Single Electrician Installation
- Fits 4" square and round electrical boxes
- Fits 3/4" pipe and includes a reducing bushing for 1/2" pipe

STOCK NO.	UPC NO.	SHAPE	DESCRIPTION	PKG. QTY.	WT. EACH	SUGGESTED TRADE LIST PRICE PER
MSCU	81607	Square	Fixture Hanger	1	.78	41.73/ea
MSCUR	81609	Round	Fixture Hanger	1	.72	41.73/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SCREW HOOKS STEEL ZINC CHROMATE With Lag Screw Thread

STOCK NO.	UPC NO.	LENGTH/ WIRE DIAMETER	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
JSH1	83500	2" x .135"	1.20	100	21.93/c
JSH2	83505	$3^{3}/_{8''} \times .192''$	3.92	100	42.38/c
JSH3	83510	4 ¹ / _{8"} x .244"	7.88	100	53.80/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST





ZINC CHROMATE

STAINLESS STEEL

AND STAINLESS STEEL

For Hanging Industrial Fluorescent Fixtures

NOW IN LARGER SIZES!

STOCK		LENGTH/	WT.	USE	STD.	SUGGESTED TRADE	
NO.	UPC NO.	WIRE DIAMETER	PER PKG.	WITH	PKG.	LIST PRICE PER	
STEEL GALVANI	ZED						_
JSHK1A	81006	³ / ₄ " x .071"	.35	JC14	100	8.35/c	
JSHK1	81005	1 ¹ / ₄ " x .105"	.76	JC12/JC14	100	8.65/c	
JSHK2	81007	$1^{1}/_{2}^{"} \times .135^{"}$	1.39	JC10/JC12	100	21.00/c	
JSHK2A	81008	1 ³ / ₄ " x .186"	3.12	JC10/JC12	100	31.43/c	
JSHK3	81009	2" x .243"	5.63	JC10	100	94.88/c	
JSHK4	82256	3" x .312"	6.16	JC10	50	117.20/c	
JSHK5	82260	$3^{1}/_{2}$ " x .375"	10.61	JC10	50	225.56/c	
STAINLESS STEE	L						
JSHK0ASS	82301	³ / ₄ " x .092"	.38	JC14	100	89.25/c	NEW
JSHK1SS	82401	1 ¹ / ₄ " x .148"	1.35	JC12/JC14	100	112.82/c	NEW
JSHK2SS	82306	$1^{1/2}$ " x .184"	2.30	JC12/JC14	100	127.30/c	
JSHK2ASS	82265	1 ³ / ₄ " x .192"	3.21	JC10/JC12	100	245.55/c	
JSHK3SS	82270	2" x .250"	6.20	JC10	100	447.50/c	

^{*}Domestic Product Available Upon Request



TIE WIRE LOW TENSILE STEEL & STAINLESS STEEL

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. CARTON	SUGGESTED TRADE LIST PRICE PER	
MTW12	16120	12 Gauge 5Lb/165'	6.00	1	25.18/ea coil	NEW
MTW12-3M	16123	12 Gauge 89Lb/3000'	89.00	1	516.23/ea coil	NEW
MTW12-4M	16124	12 Gauge 118Lb/4000'	118.00	1	688.33/ea coil	NEW
MTW14M	16140	14 Gauge 17Lb/1000'	17.00	1	174.75/ea coil	NEW
MTW16	16125	350′ 16 Gauge	70.60	20 Coils (min. purchase)	10.73/ea coil	
MTW17	22307	500' 16 Gauge/Galvanized	66.00	12 Spools (min. purchase)	20.65/ea coil	
MTW1725	22308	250' 16 Gauge/Galvanized	71.60	20 Coils (min. purchase)	15.48/ea coil	
MTW18	22313	350′ 18 Gauge	13.00	1	10.73/ea coil	NEW
STAINLESS STI	EEL					
MTW16SS1LB	22293	16 Gauge 1Lb Coil	1.00	1	58.75/ea coil	NEW
MTW16SSP	22292	1152′ 16 Gauge	2.40	1	220.00/ea coil	NEW

^{*}Domestic Product Available Upon Request OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



TIE WIRE DISPENSER

Mounts On Toolbelt • Metal

A Very Handy Way To Store & Dispense Tie Wire

STOCK	UPC NO.	WT. PER	STD.	SUGGESTED TRADE
NO.		PKG.	PKG	LIST PRICE PER
MWDM1	16120	6.00	1	59.80/ea NEW

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. Bundle.	SUGGESTED TRADE LIST PRICE PER	
SWL1212	16177	12' Pretied Ceiling Wire w/ single loop	39.00	100 pcs	187.50/c	NEW
SWL612	16174	6' Pretied Ceiling Wire w/ single loop	20.00	100 pcs	110.00/c	NEW
SWP1212	26717	12' Pretied Ceiling Wire w/ pin & clip	39.00	100 pcs	189.65/c	NEW
SWP612	26612	6' Pretied Ceiling Wire w/ pin clip	20.00	100 pcs	117.68/c	NEW

See Section A Fasteners to attach jack chain to structural steel or bar joists.

JACK CHAIN STEEL CALVANIZED AND STAINLESS STEEL

6660

STOCK		TRADE	SIZE ACROSS	WORK LOAD/	WT.	STD.	SUGGESTED TRADE	
NO.	UPC NO.	SIZE	LINK	LIMIT/LBS	PER PKG.	PKG.	LIST PRICE PER	
STEEL GAL	VANIZED							
JC10	21515	#10	1/2	43	7.26	50′ BOX	26.85/ea pkg	
JC10T	21513	#10	1/2	43	37.01	250′ BOX	134.28/ea pkg	NEW
JC12	21500	#12	³ / ₈	29	4.46	50′ BOX	18.28/ea pkg	
JC12C	21505	#12	³ / ₈	29	9.13	100' REEL	39.45/ea pkg	
JC12CB	21507	#12	³ / ₈	29	6.83	100′ BOX	36.58/ea pkg	
JC12M	21510	#12	³ / ₈	29	90.00	1000' BUCKET	359.20/ea pkg	
JC14	21518	#14	1/4	16	5.35	100′ BOX	35.23/ea pkg	
JC16	21508	#16	⁵ / ₆₄	11	3.12	100′ BOX	73.03/ea pkg	NEW
JC18CB	21535	#18	³ / ₁₆	5	1.84	100′ BOX	106.08/ea pkg	NEW
STAINLESS	STEEL 18-8	TYPE						
JC10SS	21516	#10	1/2	43	7.53	50′ BOX	189.98/ea pkg	NEW
JC10CBSS	21517	#10	1/2	43	15.00	100′ BOX	540.60/ea pkg	
JC12SS	21501	#12	3/8	29	4.46	50′ BOX	230.98/ea pkg	NEW
JC12CSS	21506	#12	3/8	29	8.92	100′ BOX	469.10/ea pkg	NEW
JC16SS	21523	#16	⁵ / ₆₄	11	3.14	100′ BOX	243.03/ea pkg	NEW
JC18SS	21534	#18	³ / ₁₆	5	2.54	100′ BOX	197.75/ea pkg	

^{*}Domestic Product Available Upon Request other sizes and quantities available by request

FIXTURE HANGING CHAIN

Plain Steel Finish with Lacquer



STOCK NO.	UPC NO.	DESCRIPTION	WT. Per Pkg.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
FHC1	21410	2-1/4 x 3/4 W, .148 Thick	44.15	(100) 3' Pieces	312.20/ea pkg	

^{*}Domestic Product Available Upon Request other sizes and quantities available by request

DOUBLE LOOP CHAIN

Steel Galvanized and 18-8 Series Stainless Steel



STOCK NO.	UPC NO.	TRADE SIZE	WIRE DIA.	WORK LOAD LIMIT/LBS	WT. Per Pkg.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
STEEL GAL	VANIZED							
DLC1	21550	#1	.105	155	10.18	100′ Box	54.73/ea pkg	
DLC1S	21555	#1	.105	155	26.00	250' Spool	135.13/ea pkg	
DLC2	21556	#2	.0915	115	7.50	100' Spool	39.10/ea pkg	NEW
DLC3	21560	#3	.080	90	6.14	100' Box	42.98/ea pkg	
DLC3S	21565	#3	.080	90	16.25	250' Spool	107.43/ea pkg	
DLC4	21586	#4	.072	70	5.23	100' Spool	39.65/ea pkg	NEW
DLC2/0	21557	#2/0	.135	255	42.50	250' Spool	161.98/ea pkg	NEW
STAINLESS	STEEL						-	
SDLC3	21570	#3	.080	90	6.34	100′ Box	320.48/ea pkg	
40	D 4	4.1	D					

^{*}Domestic Product Available Upon Request other sizes and quantities available by request



FIXTURE HOOKS

STEEL ZINC CHROMATE For Hanging Industrial Light Fixtures
PACKAGED IN 1/4 KEG CARTONS



STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
FHK1	21400	Top/End Mount	4.50	100	45.13/c
FHK2	21405	Side Mount	4.80	100	45.13/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

WIRE ACOUSTICAL TOGGLE BOLTS

TIE WIRE ACOUSTICAL TOGGLE BOLTS ARE PRIMARILY FOR OVERHEAD APPLICATIONS.

The winged end is inserted through the drywall, ceiling, tile, etc., and expands behind that medium while the 1/4" x 1-1/4" fender washer and hext nut act to secure

the anchor to the exterior of the hole.

Includes:

- (1) TIE WIRE 1/4-20 TOGGLE BOLT
- (1) 1/4-20 NUT
- (1) 1/4 WASHER
- (1) 1/4 toggle wing

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
JTWA144	81402	1/4" x 4" Toggle Bolt	2.47	25	38.00/ea pkg
JTWA145	81404	1/4" x 5" Toggle Bolt	2.33	25	40.93/ea pkg

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HANGER BOLTS



STOCK			STD.	WT.	SUGGESTED TRADE
NO.	UPC NO.	DESCRIPTION	PKG.	PER PKG.	LIST PRICE PER
JHAB9	81000	10-24 x 2	1.12	100	11.75/c
JHAB10	81001	$^{1}/_{4}$ -20 x 3	3.10	100	23.13/c
JHAB11	81002	$^{3}/_{8}$ -16 x 3	7.65	100	50.50/c
JHAB13	84111	$^{3}/_{8}$ -16 x 4	9.42	100	53.50/c
JHAB12	84110	$^{3}/_{8}$ -16 x 6	7.31	50	50.03/ea. pkg.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Hanger bolts and threaded rod

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
HABD10	23275	$^{1}/_{4}$ -20 x $^{2}/_{16}$ bolt driver	.06	1	11.23/ea
HABD12	23280	$^{3}/_{8}$ -16 x $^{2}9/_{16}$ bolt driver	.08	1	14.28/ea



COUSTICAL DRILL SCREW

STEEL ZINC CHROMATE Designed to penetrate 16-18 gauge steel stud for hanging acoustical ceilings

STOCK	UPC NO.	THREAD SIZE/	WT.	STD.	SUGGESTED TRADE
NO.		OVERALL LENGTH	PER PKG.	PKG.	LIST PRICE PER
JATEK1	82020	$^{1}/_{4} \times 2$	1.05	50	21.63/ea. pkg.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



OUSTICAL LAG SCREW STEEL ZINC CHROMATE

For use in tie wire and jack chain applications For Wood Application

STOCK NO.	UPC NO.	THREAD SIZE/ OVERALL LENGTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
JALS14	81003	$^{1}/_{4} \times 3$	1.19	50	9.03/ea. pkg.
JALS15	77915	¹ / ₄ x 4	2.32	100	47.53/c.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



ACOUSTICAL LAG & ACOUSTICAL DRILL SCREW DRIVER

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
ALSD	22050	Driver $3^{1}/_{4}$.13	1	8.93/ea	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



IE WIRE WEDGE ANCHOR
ZINC WITH STAINLESS STEEL CLIP
For various overhead suspension applications

STOCK NO.	UPC NO.	DESCRIPTION	MIN. DEPTH IN LENGTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER	
JTWA214	80906	¹ / ₄ X 2 ¹ / ₄	13/8	3.41	100	108.60/c	


OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



EYE COUPLING

Steel ZINC CHROMATE
For use in tie wire and jack chain applications

STOCK	LAR	DESCRIPTION	WT.	STD.	SUGGESTED TRADE
NO.	UPC NO.		PER PKG.	PKG.	LIST PRICE PER
JEC44	81004	$^{1}/_{4}$ –20 x $1^{1}/_{2}$	2.29	100	77.05/c



Metallics



MADE IN USA

Requested by distributors in Hurricane & Flood Prone areas

HURRICANE / WINDOW / DOOR SHUTTER SCREW KIT

(STAINLESS STEEL CAP)



This Kit Contains The Following:

STOCK	LIDC NO	DESCRIPTION	WT.	SUGGESTED TRADE
NO.	UPC NO.	DESCRIPTION	PER PKG.	LIST PRICE PER
SHSK1	41500	(1) 8" x 4" Plastic 6 Compartment Case	1.85	115.00/ea
		(1) 3/16" Carbide Tipped Drill Bit		
		(1) Concrete Driver		
		(1) Wood Driver		
		(20) 1/4" Flat Washers		
		(20) 1/4-20 x 1" Machine Screws		
		(20) 1/4-20 x 1-1/2" Machine Screws		
		(10) 1-1/4" Hurricane Concrete Anchors (SS Cap)		
		(10) 2" Hurricane Wood Anchors (SS Cap)		


Metallics

229 Cross Street, Bristol, CT 06010

Tel 800-243-8272 • Fax 800-831-9358

Email sales@metallicsonline.com

Metallics West




Metallics



HIGH PERFORMANCE PLASTIC SADDLE

(CABLE TRAY APPLICATION)









- PLENUM RATED
- MULTIPLE HANGERS PER ROD
- Non-Corrosive / Non-Conductive
- SNAP NUT ANYWHERE ONTO THREADED ROD
- HOLDS UP TO 35 PIECES CAT 5E CABLE
- AN INEXPENSIVE ALTERNATIVE OR ENCHANCEMENT TO A CABLE TRAY



STOCK NO.	JAR UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
SMS1	41995	1/4" & 3/8" Saddle	.06	1	5.83/ea
SMS5	41996	1/4" & 3/8" Saddle	.29	5	27.13/ea

Metallics

229 Cross Street, Bristol, CT 06010 **Tel** 800-243-8272 • **Fax** 800-831-9358 **Email** sales@metallicsonline.com

Metallics West







VERTICAL MOUNT THREADED ROD ANCHOR SYSTEM

Saves time and cost from traditional hanging methods

Drill, Drive, Done!

STOCK NO.	JAR UPC NO.	ROD Size	SCREW DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WOOD	'			,		
JSMW14201	78360	1/4 -20	$^{5}/_{16} \times 2^{1}/_{4}$	1.69	25	52.45/ea pkg
JSMW38161	78365	³ /8 -16	$^{5}/_{16} \times 2^{1}/_{4}$	1.55	25	62.98/ea pkg

FOR ¹/₂–13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



$\triangle A$	-		П	
NYA		I/A\	L.	

JSMM14201	78400	1/4-20	1/ ₄ -20 x 11/ ₂ #3 DRILL POINT	1.43	25	68.25/ea pkg	
JSMM38161	78405	³ / ₈ -16	1/ ₄ -20 x 1 ¹ / ₂ #3 DRILL POINT	1.55	25	68.83/ea pkg	

FOR $\frac{1}{2}$ -13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CONCRETE

JSMC14201	78370	1/4-20	⁵ / ₁₆ x 2 ¹ / ₄ ¹ / ₄ DRILL SIZE	1.78	25	76.53/ea pkg	
JSMC38161	78375	$^{3}/_{8}$ -16	$^{5}/_{16} \times 1^{1}/_{2}$	1.64	25	65.78/ea pkg	

FOR ¹/₂–13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Adapter to convert $^3/_8$ –16 Wood, Concrete and Steel vertical mount fasteners to accept $^1/_2$ –13 threaded rod.

ADAPTER

SME270	41340 ³	$\frac{3}{8} - 16$ to $\frac{1}{2} - 13$	Threaded Rod	25	45.33/ea pkg	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST




SMDB21	78420	$^{1}/_{4}$ & $^{3}/_{8}$	Driver	.10	1	29.70/ea	

PLEASE CALL FOR TECHNICAL INFORMATION OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Metallics





HORIZONTAL MOUNT THREADED ROD ANCHOR SYSTEM

Saves time and cost from traditional hanging methods

Drill, Drive, Done!



STOCK NO.	JAR UPC NO.	ROD SIZE	SCREW DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WOOD	'					
JSMWS14201	78380	1/4 -20	$\frac{5}{16} \times \frac{21}{4}$	2.08	25	76.78/ea pkg
JSMWS38161	78385	³ / ₈ -16	$^{5}/_{16} \times 2^{1}/_{4}$	1.78	25	76.78/ea pkg

FOR ¹/₂-13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



M	自	ľA	

JSMMS14201	78410	1/4-20	1/ ₄ -20 x 11/ ₂ #3 DRILL POINT	1.78	25	83.03/ea pkg	
JSMMS38161	78415	³ / ₈ -16	1/ ₄ -20 x 1 1/ ₂ #3 DRILL POINT	2.16	25	83.03/ea pkg	

FOR $\frac{1}{2}$ -13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CONCRETE

JSMCS14201	78390	1/4-20	⁵ / ₁₆ x 2 ¹ / ₄ ¹ / ₄ DRILL SIZE	2.17	25	90.85/ea pkg	
			/4 DRILL SIZL				
JSMCS38161	78395	$^{3}/_{8}$ - 16	$\frac{5}{16} \times 1^{1}/_{2}$	1.92	25	90.85/ea pkg	

FOR ¹/₂–13 THREADED ROD SEE THE ADAPTER BELOW. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Adapter to convert ³/₈–16 Wood, Concrete and Steel HORIZONTIAL MOUNT FASTENERS TO ACCEPT 1/2-13 THREADED ROD.

SME270 41340 ${}^{3}/_{8}$ –16 to ${}^{1}/_{2}$ –13 Threaded Rod 25 45.33/ea pkg

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SMDB21 78420	$^{1}/_{4}$ & $^{3}/_{8}$	Driver	.10	1	29.70/ea	

PLEASE CALL FOR TECHNICAL INFORMATION OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST





SWIVEL HEAD® THREADED ROD ANCHOR SYSTEM

Drill, Drive, Done!



STOCK	JAR	ROD	SCREW	WT. PER	STD.	SUGGESTED TRADE	
NO.	UPC NO.	SIZE	DESCRIPTION	PKG.	PKG.	LIST PRICE PER	
WOOD JSHW3816	41400	³ / ₈ -16	¹ / ₄ x 2	1.69	25	72.73/ea pkg	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CAADDOX	41220

DRIVER

 $^{1}/_{4} \& ^{3}/_{8}$ Driver .10 29.70/ea SMDB2* 41330

APPLICATION - METAL & WOOD DRIVER

*DENOTES A PRODUCT NOT MANUFACTURED IN USA OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Don't Bend That Rod!

- 17° Deflection from Vertical
- Accomodates up to 3-1/2 x 12 Pitch roof

SAMMY SWIVEL HEAD® IS A REGISTERED TRADEMARK



Metallics





CONTRACTOR APPROVED


A fast and easy way to hang signs, florescent fixtures, speakers, busbars, cable trays, and piping just to name a few.

No Tools Needed and KWIK-LOCSTM are reusable!



Kwik-Loc[™] with 3/32" cable will safely suspend 150 lbs. vertical.

NOTE: Suspension at angles does reduce safe working load.



WEIGHT CHART

Size	Vertical	15°	30°	45°	60°
3/32 in.	150 lbs.	144 lbs.	129 lbs.	105 lbs.	75 lbs.

RIZE Kwik-Loc™ System can be purchased in kits or individually

PART #	UPC#	DESCRIPTION	QTY / PKG	SUG. TRADE LIST / PKG
RLCK5	23055	3/32" Diameter Loop Cable 5' Long with Kwik-Loc™ Joiner Kit	1	\$ 12.75
RLCK10	23060	3/32" Diameter Loop Cable 10' Long with Kwik-Loc™ Joiner Kit	1	\$ 14.95
MKL100	23082	Kwik-Loc™ only for 1/16" and 3/32" Cable	1	\$ 4.88
RLC5	23065	3/32" Diameter Loop Cable 5' Long	1	\$ 8.00
RLC10	23070	3/32" Diameter Loop Cable 10' Long	1	\$ 10.38



All Kwik-Locs have been tested to UL 1598 and are listed under File # $\rm E246601$

"Growth Through Innovation"


Metallics

229 Cross Street, Bristol, CT 06010

Tel 800-243-8272 • Fax 800-831-9358

Email sales@metallicsonline.com

Metallics West







CONCRETE/WOOD INSTALLATION KIT

The Concrete/Wood Installation Kit is a quality product, that saves you money and frustration. This multi-purpose kit is convenient and very easy to use.

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
SCK1	41589	(1) 7/32" HSD Bit	.90	158.78/ea
		(1) SDS 250 Bit (1/4")		
		(1) SL250 Sleeve		
		(1) HEX 250 Bit Receiver (1/4")		
		(1) SMDB2 Driver*		
		(1) SMDB3 Driver*		
		(1) 1/8" Allen Wrench		
		(1) 1/4" Concrete Bit		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

AMERICA'S SOURCE FOR PREMIER AND INNOVATIVE FASTENERS & ANCHORS



A Modern Up to Date Roll Threading Machine at our Affiliate, Avanti Screw.



Metallics and Avanti Screw, Inc., prime American manufacturers of fastener products, have always worked to present the latest in fastener technology to our distributors and their contractors/users.

Hex Washer Head fasteners have historically only offered three drivesthe hex, phillips and the slot. In 1999, we introduced "The QuaDrive" square, hex, slotted and Phillips, in fourteen of the most popular sizes of sheet metal screws.



These sheet metal screws are being manufactured to fill the need of the growing demand in the North American markets.

Please note: We recommend driving these sheet metal screws with a hex driving tool. The slotted, Phillips, hex and square drives make it convenient for disassembly.





STEEL DECKING THREADED ROD ANCHOR SYSTEM

Saves time and cost from traditional hanging methods

Drill, Drive, Done!









Expands to provide direct Vertical attachment in:

- Metal Deck (16-22 gauge)
- Z Purlin (16-18 gauge)
- Install in seconds
- Retaining nut is not required











Step 1

Step 2

Step 3

Step 4

Completed Installation

STOCK NO.	UPC NO.	MOUNT	ROD SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
JSMX1	41435	Vertical	1/4 - 20	.44	5	63.10/ea pkg
JSMX2	41440	Vertical	³ / ₈ - 16	.45	5	63.10/ea pkg
JSMX125	41570	Vertical	³ / ₈ - 16	2.02	25	177.25/ea pkg
JSMXP35	41580	Vertical Swivel	³ / ₈ - 16	.48	5	77.33/ea pkg
JSMXP3525	41625	Vertical Swivel	³ / ₈ - 16	2.40	25	377.78/ea pkg
SMXK1	41445		Installation tool	1.01	1	440.40/ea
SMXB1	41450		25/64" Custom Drill	.90	1	44.63/ea
			Bit for Tool			

Installation Kit Includes: Sleeve, bit receiver, hex wrench, and 25/64" drill bit

PLEASE CALL FOR TECHNICAL INFORMATION



ASSORTED KIT FOR



Drill, Drive, Done!

- 32 piece assortment of our most popular vertical and horizontal for 3/8" threaded rod
- Threaded rod anchoring system for wood & .036", .188", .250", & .500" Steel
- Installation tools included

STOCK	UPC	ROD	SCREW	WT.	STD.	SUGGESTED
NO.	NO.	SIZE	DESCRIPTION	PER PKG.	PKG.	Trade list price per
SMSK1*	41430	Assorted	Assorted	2.44	1	156.68/pkg

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

^{*} Denotes a product NOT manufactured in the USA (Drivers Only)



HURRICANE / WINDOW SHUTTTER SCREWS (STAINLESS STEEL CAPS)





			man.	
STA	INLES	SS ST	EEL (CAPS

STOCK NO.	UPC NO.	SHANK DIAMETER	SCREW LENGTH	WT. Per Pkg.	STD. PKG.	SUGGESTED Trade list price per
WOOD						
JSMHS10	41415	#10	2	1.05	25	112.78/ea pkg



UPC NO.	SHANK DIAMETER	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
LATION TO	OL				
41427		Installation Tool for	.03	1	8.23/ea
	NO. LATION TO	NO. DIAMETER LATION TOOL 41427 3/16	NO. DIAMETER DESCRIPTION LATION TOOL 41427	NO. DIAMETER DESCRIPTION PER PKG. LATION TOOL 41427 3/ Installation Tool for 03	NO. DIAMETER DESCRIPTION PER PKG. PKG. LATION TOOL 41427 3/16 Installation Tool for .03 1

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Predrill a 9/16" diameter counter hole 3/4" deep into the building exterior trim. Install screw flush with the exterior surface.

Note: Concrete requires a 3/16" center drilled hole 2-1/2" deep.

^{*} Denotes a product NOT manufactured in the USA (Drivers Only)