










Hubbell Metal Raceway

HBL4750 Series Product Applications



Catalog Number	Description	Catalog Number	Description
1 HBL4750CIV HBL4750B10IV	 5 ft. Cover 10 ft. Base	5 HBL4747BXIV	 Overlapping Plate, Two-Gang Duplex Receptacle, Blank
2 HBL4711DFOIV	 90° Flat Elbow	6 HBL4750IV	 Device Mounting Bracket
3 HBL4756IV	 Connection Cover	7 HBL4710BIV	 Blank End Fitting
4 HBL4747BBIV	 Overlapping Plate, Two-Gang, Two Duplex Receptacles	8 HBL47472BBBBIV	 Overlapping Plate, Four-Gang, Four Duplex Receptacles



Catalog Number	Description
9 HBL4718DFOIV	External Elbow
10 HBL4747RXIV	Overlapping Two-Gang Plate, Style Line® Receptacle, Blank
11 HBL4717DFOIV	Internal Elbow
12 HBL4747RRXXIV	Overlapping Plate, Four-Gang, Two Style Line Receptacles, Two Blanks

Catalog Number	Description
13 HBL4750TFIV	Transition Fitting
14 HBL4750C195IV	19.5 in. Precut Cover
15 HBL47472BBFFIV	Overlapping Plate, Four-Gang, Two Duplex Receptacles, Two Modular Furnitures
16 HBL4747BFIV	Overlapping Plate, Two-Gang, Duplex Receptacle, Modular Furniture


HBL4750 Series Metal Raceway



HBL4750 Device Bracket

- HBL4750 Device Bracket Plate provides excellent solution for power, data, voice, audio and video applications.
- For use with Hubbell KP plates and Hubbell iSTATION™ modules and bezels.
- Provides flush finish with overlap feature to hide potential miscuts.

Advantage ^{HUBBELL}



Extensive Line

- 1¼" bend radius fittings meet TIA/EIA requirements.
- Integral bend radius offers a fixed solution that does not have to be installed as an option.
- Large cross sectional area provides for maximum cable capacity throughout entire system.
- Available external, internal, flat, tee and entrance end fittings.
- UL Listed, CSA Certified.
- Available in ivory or gray powder coat finish.

Advantage ^{HUBBELL}

Application Capacity and Flexibility

- Flexible channel divider provides industry leading data capacity in the same profile with a 2/3 datacom split.
- By-Pass Divider opening accepts GFCI or surge devices to be mounted in 70/30 divided channel.
- Greater capacity offers more room for moves, adds and changes.
- 50/50 split available by utilizing standard divider and divider clips.
- Raceway channel can also be used with no divider for maximum cable fill in single service applications.



Advantage HUBBELL

Plates and Covers












- Wide variety of overlapping cover plates provide flexibility for power, data, voice, audio and video applications.
- Cover plates accept wide selection of Hubbell iSTATION™ modules and bezels.
- Cover plates help to conceal unsightly gaps caused by miscuts.
- Precut cover options allow for 12" (305mm), 18" (343mm), 24" (495mm) and 36" (800mm) center mounting.
- Open System architecture available.



Advantage HUBBELL


HBL4750 Series Metal Raceway

Available in
PRE-WIRED

Raceway		Catalog Number	Length	Color
Base Packed 50 ft. (15.24m) per carton, 10 ft. (3m) lengths.		HBL4750B10IV HBL4750B10GY A: 120" (3048.00) B: 4.76" (120.90) C: 1.62" (41.20)	10 ft.	Ivory Gray
Cover Packed 50 ft. (15.24m) per carton, 5 ft. (1.5m) lengths.		HBL4750CIV HBL4750CGY A: 60.00" (1524.0) B: 4.75" (120.65)	5 ft.	Ivory Gray
7.5 in. Precut Cover For mounting devices on 12 in. (305.00) centers. Packed 10 pieces per carton.		HBL4750C075IV HBL4750C075GY A: 7.50" (190.50) B: 4.75" (120.65)	7.5 in.	Ivory Gray
13.5 in. Precut Cover For mounting devices on 18 in. (457.00) centers. Packed 10 pieces per carton.		HBL4750C135IV HBL4750C135GY A: 13.50" (342.90) B: 4.75" (120.65)	13.5 in.	Ivory Gray
19.5 in. Precut Cover For mounting devices on 24 in. (610.00) centers. Packed 10 pieces per carton.		HBL4750C195IV HBL4750C195GY A: 19.50" (495.30) B: 4.75" (120.65)	19.5 in.	Ivory Gray
31.5 in. Precut Cover For mounting devices on 36 in. (915.00) centers. Packed 10 pieces per carton.		HBL4750C315IV HBL4750C315GY A: 31.50" (800.10) B: 4.75" (120.65)	31.5 in.	Ivory Gray
Wire Clip (Plated) For holding conductors in place.		HBL4750WCGY A: 4.60" (116.74) B: 1.58" (40.13) C: 1.00" (25.40)		Galv. Steel
Divider Divides HBL4750 Raceway into two channels. Packed 50 ft. (15.24m) per carton, 5 ft. (1.5m) lengths. HBL4751DA Divider Clips are required to hold divider in place.		HBL4750DGY A: 60.00" (1524.00) B: 1.51" (38.46)	5 ft.	Painted Steel
By-Pass Divider Divides HBL4750 Raceway into two channels with a 70/30 split. Allows for a larger power or datacom wire fill. HBL4751DA Divider Clips are required to hold divider in place.		HBL4750BP A: 7.12" (180.74) B: .89" (22.54)		Painted Steel
Coupling (Plated) For joining lengths of HBL4750 Raceway. Sold in pairs.		HBL4751AC A: 1.47" (37.30) B: .42" (10.59)		Galv. Steel
Divider Clip Required for holding HBL4750DGY in place. Use one every 2.5 ft. (.762m).		HBL4751DA A: 4.64" (117.77) B: 1.46" (37.07)		Galv. Steel

Fittings


Internal Or External 45° Elbow
For making internal or external turns in a run of HBL4750 Raceway.



Catalog Number **Color**


HBL4712TXIV Ivory
HBL4712TXGY Gray
A: 6.04" (153.45)
B: 4.59" (116.59)

Internal Elbow (Divided)
For inside surfaces at right angles. Full capacity 1¼ in. bend radius internal elbow.




HBL4717DFOIV Ivory
HBL4717DFOGY Gray
A: 4.74" (120.47)
B: 4.75" (120.65)

Internal Elbow (Undivided)
For inside surfaces at right angles.




HBL4717IV Ivory
HBL4717GY Gray
A: 4.74" (120.47)
B: 4.75" (120.65)

Inverted Internal Elbow
Connecting a vertical run of HBL4750 Raceway with a horizontal run.




HBL4717NIV Ivory
HBL4717NGY Gray
A: 4.60" (116.84)
B: 1.66" (42.29)

Internal Corner Coupling (Plated)
Making an internal corner while continuing original run in a straight line.




HBL4717TCAGY Galvanized Steel
A: 4.59" (116.59)
B: 2.71" (68.73)
C: 1.47" (37.34)

External Elbow (Divided)
For right angle turns around external corners. Full capacity 1¼ in. bend radius external elbow.



HBL4718DFOIV Ivory
HBL4718DFOGY Gray
A: 4.88" (123.90)
B: 4.76" (120.90)

External Elbow (Undivided)
For right angle turns around external corners.




HBL4718IV Ivory
HBL4718GY Gray
A: 4.88" (123.90)
B: 4.76" (120.90)

HBL4750 Series Metal Raceway

Fittings

Flat Elbow (Divided)

For right angle turns on same surface. Full capacity 1¼ in. bend radius flat elbow.




Catalog Number Color

HBL4711DFOIV Ivory
HBL4711DFOGY Gray
 A: 7.23" (183.76)
 B: 1.62" (41.15)

Flat Elbow (Undivided)


For right angle turns on same surface.



HBL4711IV Ivory
HBL4711GY Gray
 A: 7.23" (183.76)
 B: 1.62" (41.15)

Tee Fitting (Divided)


For branches at right angles. Full capacity 1¼ in. bend radius tee fitting.



HBL4715DFOIV Ivory
HBL4715DFOGY Gray
 A: 10.93" (277.63)
 B: 7.27" (184.54)
 C: 1.62" (41.15)

Tee Fitting (Undivided)


For branches at right angles.



HBL4715IV Ivory
HBL4715GY Gray
 A: 10.93" (277.63)
 B: 7.27" (184.54)
 C: 1.62" (41.15)

Wall Box Connector


For back feeding HBL4750 Raceway.



HBL4714AIV Ivory
HBL4714AGY Gray
 A: 12.00" (304.80)
 B: 4.75" (120.65)
 C: 1.62" (41.15)

Blank End Fitting

For closing open end of HBL4750 Raceway. Has two ½ in. trade size KOs.




HBL4710BIV Ivory
HBL4710BGY Gray
 A: 4.59" (116.50)
 B: 1.64" (41.60)
 C: 1.31" (33.37)

Entrance End Fitting (Divided)

For connecting HBL4750 Raceway with rigid or flexible conduit.


Concentric ¾ in., 1 in. and 1¼ in. trade size KOs on back and end. Full capacity 1¼ in. bend radius entrance end fitting. Includes ¾ in., 1 in., 1¼ in. KO and removable divider.



HBL4710DFOIV Ivory
HBL4710DFOGY Gray
 A: 6.76" (171.70)
 B: 4.76" (120.90)
 C: 2.66" (67.50)

Fittings


Entrance End Fitting (Undivided)
 For connecting HBL4750 Raceway with rigid or flexible conduit.
 Concentric 3/4 in., 1 in. and 1 1/4 in. trade size KOs on back and end.



Catalog Number **Color**

HBL4710IV Ivory
HBL4710GY Gray
 A: 6.76" (171.70)
 B: 4.76" (120.90)
 C: 2.66" (67.50)

Take-Off Connector (HBL4750 To HBL3000)
 For 90° tee connection of HBL3000 Raceway from HBL4750 Raceway.




HBL4774AIV Ivory
HBL4774AGY Gray
 A: 11.31" (287.38)
 B: 4.88" (124.00)
 C: 3.14" (79.78)

Connection Cover (Standard)
 For covering potential openings where two covers come together.




HBL4756AIV Ivory
HBL4756AGY Gray
 A: 4.77" (121.16)
 B: .75" (19.05)
 C: .13" (3.36)

Connection Cover (Heavy Duty)
 For covering potential openings where two covers come together.




HBL4756IV Ivory
HBL4756GY Gray
 A: 4.75" (120.65)
 B: 1.58" (40.13)
 C: .59" (14.89)

Panel Connector
 To connect HBL4750 Raceway with surface type panel boxes.




HBL4786AIV Ivory
HBL4786AGY Gray
 A: 7.50" (190.50)

Transition Fitting
 For transitioning Wiremold® 4000 Raceway to Hubbell HBL4750 Raceway.



HBL4750TFIV Ivory
HBL4750TFGY Gray
 A: 5.02" (127.53)
 B: 2.79" (70.78)












Two-Gang Tap-Off Fitting
 Has four concentric 1/2 in. and 3/4 in. trade size KOs.

























HBL4746H2IV Ivory
HBL4746H2GY Gray
 A: 4.75" (120.65)
 B: 4.75" (120.65)

Wiremold® is a registered trademark of The Wiremold Company.

HBL4750 Series Metal Raceway

Mounting Bracket		Catalog Number	Color
Device Mounting Bracket Mounting bracket for mounting Hubbell KP plates, iSTATION™ modules and bezels. See pages 54-55 for datacom product selection.		HBL4750IV HBL4750GY A: 5.25" (133.35) B: 4.76" (120.90)	Ivory Gray
One-Gang Commercial Device Plate Vertical Mount Use with commercially available one-gang flush plates. See pages 130-131 for plate options. For single service applications only.		HBL4747CVMIV HBL4747CVMGY A: 2.50" (63.50) B: 4.75" (120.65)	Ivory Gray
Two-Gang Commercial Device Plate Vertical Mount Use with commercially available two-gang flush plates. See pages 130-131 for plate options. For single service applications only.		HBL4747CVM2IV HBL4747CVM2GY A: 4.32" (109.86) B: 4.75" (120.65)	Ivory Gray
Overlapping Cover Plates (Include Mountin Bracket)		Catalog Number	Color
Two-Gang Cover, Single Round Opening, One Blank For single receptacle with face diameter of 1.38 in. to 1.39 in. (35.00 to 36.00).		HBL4747AXIV HBL4747AXGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, One Duplex Receptacle Opening, One Blank For 15A and 20A duplex receptacles and duplex communication frames.		HBL4747BXIV HBL4747BXGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, Two Duplex Receptacle Openings For 15A and 20A duplex receptacles and duplex communication frames.		HBL4747BBIV HBL4747BBGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, One Duplex Receptacle, One Modular Furniture For 15A and 20A duplex receptacles and duplex communication plates. Includes modular furniture with two keystone twistouts.		HBL4747BFIV HBL4747BFGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, Single Round Receptacle, One Blank For single receptacle with face diameter of 1.56 in. to 1.58 in. (39.00 to 40.00).		HBL4747JXIV HBL4747JXGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, One Style Line® Receptacle, One Blank For Style Line rectangular receptacles, GFCI and surge devices and rectangular communication devices.		HBL4747RXIV HBL4747RXGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, One Style Line® Receptacle, One Modular Furniture For Style Line rectangular receptacles, GFCI and surge devices and rectangular communication devices. Includes modular furniture with two keystone twistouts.		HBL4747RFIV HBL4747RFGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray
Two-Gang, One Duplex Receptacle, One Style Line® Receptacle For 15A and 20A duplex receptacles and Style Line rectangular receptacles, GFCI, surge devices and rectangular communication devices.		HBL4747BRIV HBL4747BRGY A: 5.43" (137.97) B: 4.75" (120.65)	Ivory Gray

Overlapping Cover Plates (Include Mountin Bracket)		Catalog Number	Color
Four-Gang, Four Duplex Receptacle Openings For 15A and 20A duplex receptacles and duplex communication frames.			HBL47472BBBBIV Ivory
			HBL47472BBBBGY Gray
Four-Gang, Two Duplex Receptacles, Two Modular Furniture For 15A and 20A duplex receptacles and duplex communication plates. Includes two modular furniture with two keystone twistouts.			HBL47472BBFFIV Ivory
			HBL47472BBFFGY Gray
Four-Gang, Two Duplex Receptacles, Two Blanks For 15A and 20A duplex receptacles and duplex communication plates. Includes two blanks.			HBL47472BBXXIV Ivory
			HBL47472BBXXGY Gray
Four-Gang, Two Style Line® Receptacles, Two Blanks For Style Line rectangular receptacles, GFCI and surge devices and rectangular communication devices. Includes two blanks.			HBL47472RRXXIV Ivory
			HBL47472RRXXGY Gray
Two-Gang, One Duplex Receptacle, One Ortronics® Series II® Mini Adapter Bezel For 15A and 20A duplex receptacles and duplex communication plates. Includes Series II® Mini Adapter Bezel.			HBL4747BSIV Ivory
			HBL4747BSGY Gray
Two-Gang, One Duplex Receptacle, One Ortronics® TracJack® Mini Adapter Bezel For 15A and 20A duplex receptacles and duplex communication plates. Includes TracJack® Mini Adapter Bezel.			HBL4747BTIV Ivory
			HBL4747BTGY Gray
Two-Gang, One Opening for One-Gang Commercial Device Plate, One Blank Use with commercially available one-gang flush plates. See pages 130-131 for plate options.			HBL4747C1IV Ivory
			HBL4747C1GY Gray
Two-Gang, One Opening for Two-Gang Commercial Device Plate Use with commercially available two-gang flush plates. See pages 130-131 for plate options.			HBL4747C2IV Ivory
			HBL4747C2GY Gray
Four-Gang, Two Duplex Receptacles, Two Ortronics® Series II® Mini Adapter Bezels For 15A and 20A duplex receptacles and duplex communication plates. Includes two Series II® Mini Adapter Bezels.			HBL47472BBSSIV Ivory
			HBL47472BBSSGY Gray
Four-Gang, Two Duplex Receptacles, Two Ortronics® TracJack® Mini Adapter Bezels For 15A and 20A duplex receptacles and duplex communication plates. Includes two TracJack® Mini Adapter Bezels.			HBL47472BBTTIV Ivory
			HBL47472BBTTGY Gray

Cutters	Catalog Number	Catalog Number
Base Cutter Cutter for cutting base of HBL4750 Raceway.		
Cover Cutter Cutter for cutting cover of HBL4750 Raceway.		

Ortronics®, Series II® and TracJack® are registered trademarks of The Ortronics Company.