

Integrated multimedia performance solutions that deliver convergence.



VGA Plug-n-Play 15-pin to 8-pin Connections

The most innovative approach to VGA termination, saving valuable time on the job site.



Quantity	Straight 180°	Angled 45°	Angled 90°	8" Tail	
1-Pack	15S6P1	15A6P1	15N6P1	15 T 6P1	
10-Pack	15S6P10	15A6P10	15N6P10	15T6P10	

VGA Plug-n-Play Horizontal Runs

Description	Catalog No.
VGA, 8-pin M to 8-pin M, Non-Plenum	VGA6**BK
VGA, 8-pin M to 8-pin M, Plenum	VGA6P**BK
VGA, 8-pin M to 15-pin F, Non-Plenum	VG15F6**BK
VGA, 8-pin M to 15-pin M, Non-Plenum	VG15M6**BK
VGA, 8-pin M to, 15-pin M, Plenum	VG15MP6**BK
**=length 05.10.15, 20, 25, 30, 35, 40,	45, 50, 55, 60, 65, 70,

75, 80, 85, 90, 95, 100



9-/15-pin Connectors



Screw Terminal 9-pin 10-pk **9ST10** 15-pin 10-pk **15ST10**



Gender Changer 9-pin 10-pk **9GC10** 15-pin 10-pk 15GC10





159010

HDMI Coupler Gold, Female-Female HDMIC1 1-pk HDMIC10 10-pk

HDMI Couplers





HDMI 3" Tail Gold, Female-Female HDMIT1 1-pk 10-pk HDMIT10

DVI to HDMI Adapter, Female-to-Female **DVIHDMI1**



Being able to aesthetically provide all the connections together, with a consistent look, is as important as the connections themselves

The **iSTATION**™ products provide a consistent and practical solution for delivering all types of AV connections where you need them:

- On the wall.
- In the wall.
- On the floor.
- In the floor.
- In the table.
- On a rack.
- In a cabinet.

The **iSTATION**™ uses a "one system" approach that makes it straightforward and effortless to add connectors and maintain a uniform look across all systems.

HDMI 15-/9-pin Modules and Accessories

10-pk



HDMI 15 or 9-pin Blank Module, 1 Unit Color: See Chart 10-pk IMBDS1XX



HDMI 15/9-pin Blank Module, Angled, 1.5 Unit Color: See Chart

1-pk IMBDSA15XX

Other Blank Modules

HDMI 15 or 9-pin, Pro-AV, 3.5mm Stereo Blank Module, 2 Unit (1-pk)

Color: See Chart IMB153X2XX

HDMI 15-/9-pin, 3.5mm Stereo, Blank Module, 1.5 Unit (1-pk)

Color: See Chart IMB15315XX

HDMI 15-/9-pin, Decorator Frame, Blank Module, 1-Gang (1-pk)

Color: See Chart ISFB15XX

HDMI Horizontal Runs and Device Patch Cords

Description	Catalog No.
Patch Cords, 24AWG	
3', Black	HDPC03BK
6', Black	HDPC06BK




Horizontal Cords (connector-to-connector)

Black, Length-see below HDH**BK

Link Cords, 24AWG (connector-to-device)

HDL**BK Black, Length-see below



HDC**BK Black, Length-see below ** = "10"=10'; "15"=15'; "20"=20'; "25"=25';

DVI Adapters/Couplers







DVI to VGA Adapter Female-Female **DVI151** 1-pk





1-pk IMBDVI15XX

DVI to HDMI Adapter 1-pk DVIHDM11

10-pk **IMBDVI1015XX**

DVI Blank, Unloaded,

XX Housing Color Code

Almond = ALL. Almond=LA Black=BK

Electric Ivory=El

"30"=30'. Black and non-plenum only.

Gray = GY

Office White=OW

White=W



Integrated multimedia performance solutions that deliver convergence.



RCA Connectors



110 Punch Down

Housing: Black Insulator: Blue, Green, Red, White, Yellow.

SFRC110XX



RCA Solder

Housing: Office White Insulator: Black

SFRC

Housing: Office White Insulator: Blue, Green, Orange.

SFRCXXOW

Housing: Office White Insulator: Red, White, Yellow.

SFRCXX

Housing: See Chart (except Office White) Insulator: See Chart

SFRCBXXXX

XX = Insulator Color:







SFFGXX

Recessed



Gold Pass-Thru F/F,

Housing: See Chart

Insulator: See Chart

SFRCXXRXX

Gold Pass-Thru F/F

Housing: Office White

Housing: Office White

Insulator: Blue, Green,

SFRCXXFFXX

Insulator: Black, Red,

White, Yellow.

SFRCXXFF

Orange SFRCXXFFOW Housing: See Chart (except Office White) Insulator: See Chart







Gold Pass-Thru F/F

Housing: Office White

Housing	Cat. No.
Almond	SFFALX
Black	SFFBX
Elec. Ivory	SFFEX
Gray	SFFGX
Lt. Almond	SFFLAX
Office White	SFFX
White	SFFWX



RCA to F-type, Gold Pass-Thru F/F

Housing: See Chart*

SFRFGXX

* Does not inlaude Almond or Light Almond.

S-Video Connectors



S-Video to 110 Housing: See Chart* SFSV110XX



S-Video Pass-Thru Housing: See Chart*

SFSVXX

* All colors available except for Lt. Almond.

Blank Connectors



Blank, 10-Pk

Almond	SFBAL10	Lt. Almond	SFBLA10
Black	SFBB10	Office White	SFB10
Gray	SFBG10	White	SFBW10
Elec. Ivorv	SFBE10		

Stereo Jack Connectors



3.5mm Solder Housing: See Chart SF35SJXX

Pass-Thru, F/F

Housing: See Chart

SF35FFXX Nickel

SF35GFFXX Gold

Bulk, 3.5mm 10-Pk

Screw Term 35ST10

35S10

35FF10

Solder

Feed-Thru



3.5mm Screw Term Housing: See Chart SF35STXX



1/4" Solder Housing: See Chart SF14SJXX

USB Connectors



A to A, 2.0 Blue **SFUSBAAB** Office White

SFUSBAAOW White SFUSBAAW



A to B, 2.0

SFUSBABB Blue Office White

SFUSBABOW White SFUSBABW

6-Pin DIN Connectors



Keyboard, Pass-Thru SF6PK Black

Inline Data Couplers

SFC5EBK SFC5EW

XCELERATOR™ Jacks



Monitor, Pass-Thru SF6PM Black

Cat 5e, Cross Over

10/100BASE-T, F/F

SF5ECOGY

Gray

F-type Connectors



Pass-Thru F/F

Housing	Cat. No
Almond	SFFALX
Black	SFFBX
Elec. Ivory	SFFEX
Gray	SFFGX
Lt. Almond	SFFLAX
Office White	SFFX
White	SFFWX



RG59 Male to RG6 Female

Use with Recessed F-type **RG59A10** 10-pk

Speaker Post Connectors, Gold



Black, Screw Term Housing: Office White

SFSPGBK Housing: See Chart **SFSPGBKXX**

Banana Plug, Black SPPBK10

Pass-Thru, F/F

SFBXX

Housing: See Chart



Red, Screw Term Housing: Office White

SFSPGR Housing: See Chart



Connectors, 75 Ohm

SFSPGRXX

Banana Plug, Red 10-pk SPPR10

10GbE

Black

White



Cat 5e, Pass-Thru

Black HXJ6A*



Category 5e HXJ5E*





HXJU* Gray

Colors = "AL"=Almond; "BK"=Black; "B"=Blue; "El"=Electric Ivory; "GY"=Gray; "GN"=Green; "LA"=Light Almond; "OR"=Orange; "R"=Red; "OW"=Office White; "W"=White; "Y"=Yellow.

XX Housing Color Code

Almond=AL

L Almond=LA



Electric Ivory=El



Gold, Pass-Thru, F/F

Housing: See Chart

SFBGXX

Office White=OW





Integrated multimedia performance solutions that deliver convergence.



iSTATION™ Multimedia Modules



Composite Solder Color chart below; 1 U IM3RS1XX



Composite Video, 3.5mm Stereo, Solder

Color chart below; 1 U IMRSJ1XX



Composite Feed-Thru Color chart below; 1 U IM3RF1XX

110 Term Audio

IMAR1101XX

Color chart below; 1 U



Component Solder Color chart below; 1 U IMCRS1XX



Component Solder Color chart below; 1.5 U



Component Feed-Thru Color chart below; 1 U



IMCRF1XX



110 Term Component Video Color chart below; 1 U



110 Term Composite AV Color chart below; 1 U



110 Term, S-Video, 3.5mm Stereo Color chart below; 1 U IMSV351101XX



Screw Term XLR, VGA 3.5mm Stereo, 2 U IM153X2OW



110 Term, S-Video with Audio

Color chart below; 1 U IMSR1101XX



Screw Term VGA, Solder 3.5mm Stereo Color chart below; 1.5 U IM15315XX



Speaker Post, Screw Term Color chart below; 1 U IMSP1XX

Pro-AV Connectors



1394 FireWire, Feed-Thru 139410 10-pk

XLR, 3-pole, Screw

XLRST10

Term

10-pk



USB, A-to-B

Feed-Thru

10-pk

Solder



1/4" Locking Stereo, 10-pk 14510



2-pole Speakon®, Solder 10-pk SC10





XLR 3-pole, Solder XLR10



Flat

Pro-AV Blank Module, 1.5 Unit Module: See Chart IMAVB15XX

iSTATION™ Plates and Frames



MTPIMBZOW

iSTATION™ Plate Color: See Chart 1-gang IMF1XX IMF2XX 2-gang

SC Angled Color: See Chart**

1.5 Unit

2-port,

1-port, 1 Duplex,

IM1SCA15XX

2 Duplex, 2 Unit

Keystone Flat, 1 Unit

Color: See Chart*

1-port IM1K1XX

2-port IM2K1XX

Blank Modules

1 Unit

Color: See Chart*

0.5 Unit IMB05XX

1.5 Unit **IMB15**XX

IMB1XX

IM2SCA2XX

Pro-AV Modules

Unloaded Keystone/SC/

PREMISETRAK® Raceway Bezel Color: Office White **MTPIMBZOW**

USB10

iSTATION™ Bezel For 3rd party Raceway Color Catalog No. **HWAPLGY** Gray Office HWAPLOW

White

White **HWAPLW**

Keystone Angled

Color: See Chart*

1-port, 1.5 Unit

2-port, 1.5 Unit

IM1KA15XX

IM2KA15XX



iSTATION™ Panel, Rack Mount, Unloaded Format Height Ports Catalog No. UDXAM16 Angled 1U 16 UDXAM48 211 48 Angled **UDXIS1U** Flat 1U 16 **UDXIS2U**

......... UDX Jack Panel, Rack Mount, Unloaded

48

2U

Format	Height	Ports	Catalog No.
Angled	1Ū	24	UDXA24
Angled	2U	48	UDXA48
Flat	1U	16	UDX16E
Flat	1U	24	UDX24E
Flat	1U	36	UDX36E
Flat	1U	48	UDX48E1U
Flat	2U	48	UDX48E

UDX Pro-AV Panel, Rack Mount, Unloaded Cat. No. **Ports** Height

1U 16 PAV16 2U PAV32 32

Raceway Systems Metal and Non-Metallic



Keystone Recessed, Angled, 1.5 Unit Color: See Chart** 1-port IM1IA15XX 2-port IM2IA15XX



Pro-AV, 1.5 Unit Module: See Chart

IMAVB15XX

Hubbell offers a full line of AV friendly Metallic and Non-Metallic raceway. For more information visit our web site www.hubbell-premise.com or call 1-800-626-0005 for a free Delivery Systems catalog.

* Includes all housing colors except Light Almond. ** Includes all Housing colors except Almond and Light Almon

includes all Flousing Colors except Almond and Light Almond.						
XX Housing Col	or Code					
Almond=AL	L. Almond=LA	Black=BK	Electric Ivory=El	Gray=GY	Office White=OW	White=W



Integrated multimedia performance solutions that deliver convergence.



Hubbell SystemOne Delivery Products





Multi-Service Floor	Box, Round
Material	Catalog No.
PVC	S1PFB
Stamped Steel	S1SFB
Stamped Steel AV	S1SFBAV
Cast Iron	S1CFB

S1CFB

Poke-Throughs	, 1-Piece
Finish	Catalog No.
AV	S1PT3IM*
Decorator	S1PT*
4x4	S1PT4X4*
Furniture Feed	S1PTFF*

^{*} Add the following suffix for finish: "AL"=Aluminum; "BRS"=Brass; "BL"=Black; "GY"=Gray.

Poke-Through Floor Fittings

2-Channel	S1PTFIT
4x4	S1PT4X4FIT
AV	S1PTAVFIT



S1CFCAL

S1SP4IM

S1CFC* Universal Tile

S1TFC* Furniture Feed Carpet S1SPFF

c.	٠. ۲	D	-	tes
-οι	JL)-	· F I	ш	185

,	Sub-Plates		
		Cat. No.	
	Datacom	S1SP4IM	
À	4x4	S1SP4X4	
ľ	Decorator	S1SP	
1	iSTATION	S1SP3IM	
	+ Power		

Twist-Lock **S1SPTL** + Data Duplex/Duplex S1SPDU


> Duplex/Decorator **S1SPDUSL**

Datacom/Duplex S1SPDU2IM

Datacom/Decorator S1SPSL2IM

* Add the following suffix for finish: "AL"=Aluminum; "BL"=Black; "BRS"=Brass; "I"=Ivory; "GY"=Gray.

Extron® and



+ Power S1SPSL2IM Datacom **S1SPEXT3** S1SPEXT4 AAP + Power + Data

S1SPEXT3

Hubbell Raised Access/Concrete Floor Boxes


Floor Box, Ra	ised Access			
Stamped Steel				
Size	Catalog No.			
4-gang, Deep				
4-gang, Shallow	AFB401**			
8-gang, Deep	AFB501**			
4-gang, Deep	HBLAFB301BASEC*			
4-gang, Shallow	HBLAFB401BASEC*			
8-gang, Deep	HBLAFB501BASEC*			
Plastic Cover	Catalog No.			
4-gang Deep	HBLAFB101**			

^{*} City of Chicago approved, construction meets requirements for CCEA-2000. ** Add GNT=Granite or BK=Black. All floor boxes

Cover Assembly

COVEL M33	Cilibiy	
Steel cover and flange assembly for		
replacement	. Reversible for tile or carpet.	
Color	Catalog No.	
Black	HBLTCGNTBK	
Granita	HRITCGNT	





Floor Box, Concrete

Stamped Stee	
Size	Catalog No.
4-gang, Deep	HBLCFB301BASE
4-gang, Shallow	HBLCFB401BASE
8-aana, Deep	HBLCFB501BASE

Cast Iron Size Catalog No. 4-gang, Shallow HBLCFB401CB

Scrub Water Cover Assembly

Meranic	cover and nange assembly.
Color	Catalog No.
Black	HBLTCGNTBKSW
Granite	HBLTCGNTSW
NOTE: For	carpeted floors only (accepts carpet or tile
insert).	

Multi-Connect - Recessed Wall Boxes

Multi-	Service,	Recessed Boxes
Gang	Material	Catalog No.
1	Steel	HBLWSCS1
2	Steel	HBLWSCS2
3	Steel	HBLWSCS3
4	Steel	HBLWSCS4
6	Steel	HBLWSCS6
Separ	ation Barı	rier: HBLSCSBW

Low-Voltage, Recessed Boxes

Gang	Material	Catalog No.
2	Steel	HBLWSCS2MMO
3	Steel	HBLWSCS3MMO
4	Steel	HBLWSCS4MMO
6	Steel	HBLWSCS6MMO





2-Gang





3-Gang 4-Gang



Trim Rings for Multi-Connect Boxes (see below for more plate options)

	1-Gang	2-Gang	3-Gang	4-Gang	6-Gang
Color	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.
See Chart	HBLTRIM1W	HBLTRIM2W	HBLTRIM3W	HBLTRIM4W	HBLTRIM6W
Add the f	allowing suffi	v for: "BK"=BL	ack · "GY"=Gr	av: " "= vorv: "\	NA"=White

Plates for Multi-Connect Wall Boxes, Raised Access/Concrete Floor Boxes and Furniture Connectivity Boxes

Description	Catalog No.*	2			
Duplex	HBLST302SXX			100	
Decorator	HBLDE301SXX				
Toggle	HBLTO310SXX				Dist
Blank	HBLBL300SXX	Duplex	Decorator	Toggle	Blank
6-Port	HBL317SXX				
iSTATION™	HBLIMFSXX				
1.39" Boss	HBLTL319SXX				
1.56" Boss	HBLTL318SXX	6-port	iSTATION™	1.39"	1.56"

XX = color: "BK"=Black; "GY"=Gray; "I"=Ivory; "WA"=White.

Hubbell Furniture Connectivity Boxes

Square, Flush Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLSHA2
2	Stainless	HBLSHA2BSS

Rectangular, Flush Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLPHA2
4	Black	HBLPHA4
2	Stainless	HBLPHA2BSS
4	Stainless	HRI PHA4RSS

Recessed Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLMIR2
4	Black	HBLMIR4

Under Desk Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLMAR2
3	Black	HBLMAR3

Surface Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLCON2
4	Black	HBLCON3



HBI SHA2



HBLCON2

B-LC7 6/08



Hubbell Premise Wiring

HUBBELL INCORPORATED (Delaware)

14 Lord's Hill Road • Stonington, CT 06378-0901 • (860) 535-8326 • 800-626-0005 Fax: (860) 535-8328 • Internet site: http://www.hubbell-premise.com

Worldwide Locations

Hubbell	Premise Wiring, Asia Pacitic
Hubbell	Canada Inc.
Hubbell	Premise Wiring, Central Am
	Premise Wiring, China
Hubbell	Premise Wiring, Europe
Hubbell	Premise Wiring, India
Hubbell	Int'l. Inc., Korea Branch

852-2836-7131 905-839-1138 506-309-4158 86-21-6374 2660 44-01283 500500 91-80-4022-4089 (82 2) 2607 1363

Fax: 852-2836-7132 Fax: 905-839-9108 Fax: 506-260-1616

Fax: (82 2) 2603 7386

Fax: 86-21-6374 2799 Fax: 44-01283 500400 Fax: 91-80-4022-4033

Hubbell Premise Wiring, Latin America Hubbell de Mexico, S.Ă. de C.V. Hubbell Premise Wiring, Middle East Hubbell Premise Wiring, Puerto Rico Hubbell-Taian Co., Ltd., Taiwan Hubbell Premise Wiring, Venezuela

305-408-4501 (5255) 9151-9999 971-4-393-4192 787-855-1075 886-2-2522-1862 58-212-5156482

Fax: 305-408-8201 Fax: (5255) 9151-9989 Fax: 971-4-393-4194 Fax: 787-855-3265 Fax: 886-2-2522-1872 Fax: 58-212-6627258

^{*} For snap in type face plates delete "\$". This is an option for Multi-Connect only.