

# Guard against harmful bacteria, all the time.

## INTRODUCING STERIGUARD

With embedded antimicrobial additives for protection in food and beverage operations.



designed to be better.™

ALL INDUSTRIAL

Protect your customers, your products and your reputation with the electrical wiring devices that provide all-inclusive protection for:

ALL APPLICATIONS

ALL CONDITIONS

ALL COMPONENTS

**ALL THE TIME**




# Plugs, connectors and cord sets that help PREVENT BACTERIA AND REDUCE DOWNTIME.

**Maintaining cleanliness** in fast-paced food and beverage processing plants can be daunting to say the least. That's partly because mandatory safety protocols, such as chemical washdowns, are simply not enough to guarantee reliable, long-lasting antimicrobial protection for your electrical devices and equipment. The result: your facility could be harboring dangerous molds and bacteria that could pose a significant risk to public health, and your reputation. One way to reduce your risk is by installing SteriGuard™ Antimicrobial Industrial Wiring Devices.

## Antimicrobial protection that goes well beyond the surface.

When it comes to reliable antimicrobial protection, SteriGuard Wiring Devices go all in—storing antimicrobial growth inhibitors directly inside the products themselves. The additives are then gradually released to the surface, providing continuous, long-lasting protection against the growth of bacteria, molds, mildews and fungi.




**Powerful antimicrobial additives embedded in the polymer components** are continuously released to the surface of the devices, inhibiting the growth of dangerous microorganisms.

● **Embedded antimicrobial additives**

● **Dangerous microorganisms**

# Block contamination. Tackle corrosion.

Busy food and beverage plants can be tough on your electrical wiring devices. Fortunately, SteriGuard™ products are even tougher—reducing the labor and expense of constantly replacing contaminated or corroded hardware. They also feature embedded additives that are continuously moving to the surface of the devices. That means whenever a device is nicked, scratched or cut, additives instantly replace the affected areas, ensuring uninterrupted antimicrobial protection.





DON'T LET YOUR PLANT FLOOR BECOME A RECIPE FOR DISASTER.

Whether your facility handles meat, dairy, fruits and vegetables, beverages or any other type of consumables, make sure you protect your customers and your business by keeping your electrical equipment from becoming a source of contamination.

All SteriGuard products meet strict NSF certification standards for public health protection and pass JIS Z2801 testing standards for inhibiting the growth of microorganisms. In fact, according to independent testing, SteriGuard provides nearly all-out protection against:



---

**Escherichia (E. coli):** Reduces surface bacteria by **>99.99%**

---

**Staphylococcus (Staph), MRSA:** Reduces surface bacteria by **99.98%**

---

**Listeria monocytogenes:** Reduces surface bacteria by **>99.99%**

---

**Salmonella:** Reduces surface bacteria by **99.97%**

# P&S® SteriGuard™ Antimicrobial Wiring Devices

Catalog Number	Rating		Description	NEMA Config.
	A.	V.		
<b>Straight Blade — 2P/3W</b>				
14W47AM	15	125	Plug	5-15P
15W47AM			Connector	5-15R
14W33AM	20	125	Plug	5-20P
15W33AM			Connector	5-20R
14W49AM	15	250	Plug	6-15P
15W49AM			Connector	6-15R
14W48AM	20	250	Plug	6-20P
15W48AM			Connector	6-20R
<b>Turnlok® — 2P/3W</b>				
24W47AM	15	125	Plug	L5-15P
25W47AM			Connector	L5-15R
26W47AM	20	125	Plug	L5-20P
27W47AM			Connector	L5-20R
28W47AM	30	125	Plug	L5-30P
29W47AM			Connector	L5-30R
24W49AM	15	250	Plug	L6-15P
25W49AM			Connector	L6-15R
26W48AM	20	250	Plug	L6-20P
27W48AM			Connector	L6-20R
28W48AM	30	250	Plug	L6-30P
29W48AM			Connector	L6-30R
24W34AM	15	277	Plug	L7-15P
25W34AM			Connector	L7-15R
26W49AM	20	277	Plug	L7-20P
27W49AM			Connector	L7-20R
28W49AM	30	277	Plug	L7-30P
29W49AM			Connector	L7-30R
<b>Turnlok — 3P/4W</b>				
26W74AM	20	125/250	Plug	L14-20P
27W74AM			Connector	L14-20R
28W74AM	30	125/250	Plug	L14-30P
29W74AM			Connector	L14-30R
26W75AM	20	3Ø250	Plug	L15-20P
27W75AM			Connector	L15-20R
28W75AM	30	3Ø250	Plug	L15-30P
29W75AM			Connector	L15-30R
26W76AM	20	3Ø480	Plug	L16-20P
27W76AM			Connector	L16-20R



# P&S® SteriGuard™ Antimicrobial Wiring Devices

Catalog Number	Rating		Description	NEMA Config.
	A.	V.		
<b>Turnlok — 3P/4W (con't)</b>				
28W76AM	30	3Ø480	Plug	L16-30P
29W76AM			Connector	L16-30R
28W77AM	30	3Ø600	Plug	L17-30P
29W77AM			Connector	L17-30R
<b>Turnlok — Non-NEMA</b>				
26W08AM	20	125/250	Plug, 3P/3W NG	•
27W08AM			Connector, 3P/3W NG	•
28W08AM	30	125/250	Plug, 3P/3W NG	•
29W08AM			Connector, 3P/3W NG	•
28W09AM	30	3ØY 120/208	Plug, 4P/4W NG	•
29W09AM			Connector, 4P/4W NG	•

Catalog Number	Description
<b>SteriGuard Accessories</b>	
PS15WTAM	Female Watertight Cap 15/20A Straight Blade & 15A Locking Devices
PS27WTAM	Female Watertight Cap 20A Locking Devices
PS29WTAM	Female Watertight Cap 30A Locking Devices
PS14WTAM	Male Watertight Cap 15/20A Straight Blade & 15A Locking Devices

Bulk Cord — UL SEOW, cUL STOW    Cord Drops — Wiring Devices: UL/CSA Listed — Industrial Cord: UL SEOW, cUL STOW

# P&S® SteriGuard™ Antimicrobial Bulk Portable Cord

Catalog Number	Cord Size and Type	Length
PS14350AM	14/3 SEOW/STOW	50'
PS143100AM		100'
PS1431000AM		1000'
PS12350AM	12/3 SEOW/STOW	50'
PS123100AM		100'
PS1231000AM		1000'
PS12450AM	12/4 SEOW/STOW	50'
PS124100AM		100'
PS1241000AM		1000'

Other sizes and lengths available upon request.

**Cord Drops on next page.**



# P&S® SteriGuard™ Antimicrobial Cord Drops

To ensure you get the right product for your application, use the charts and follow the example below to select the right cord size and type, your required length, and the device part number. To place the order contact Customer Service at **800-223-4162** or **customer.support@legrand.us**

**PS**

**Prefix**

**123**

**Cord Size and Type**

**143** = 14/3 SEOW

**123** = 12/3 SEOW

**124** = 12/4 SEOW

Other sizes available upon request.

**XX**

**Select Length  
(1 to 99 ft.)**

**14W47AM**

**SteriGuard Part No.**

Select specific device from the chart. Part number shown above is an example only.



designed to be better.™



#### Electrical Wiring Systems

P.O. Box 4822  
Syracuse, NY 13221-4822  
800.776.4035  
[www.legrand.us/PassandSeymour](http://www.legrand.us/PassandSeymour)

570 Applewood Crescent  
Vaughan, Ontario L4K 4B4  
905.738.9195  
[www.legrand.ca](http://www.legrand.ca)

For additional technical or application-specific information, call 800-223-4185 or visit our website at [www.legrand.us/PassandSeymour](http://www.legrand.us/PassandSeymour). We're eager to put our expertise to work for you.

FOLLOW US

