

CONTACTOR BASE SIZE S00/S0



General technical data:		
product brandname		SIRIUS
Product designation		Contactur base
Design of the product		for configuration of direct and reversing starters
Size of the circuit-breaker		S00, S0
Suitability for use		3RA2 load feeder

Installation/ mounting/ dimensions:		
Mounting position		any
Mounting type		snap-on mounting
Width	mm	44.8
Height	mm	159.8
Depth	mm	63.1
Required spacing for live parts		
• Backwards	mm	0
Required spacing for grounded parts		
• Backwards	mm	0
Required spacing with side-by-side mounting		
• Backwards	mm	0

## Certificates/ approvals:

Certificate of suitability

CE / UL / CSA / CCC

## Shipping Approval



ABS

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

### Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV2927-7AA00>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RV2927-7AA00>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RV2927-7AA00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV2927-7AA00&lang=en)



last modified:

05/19/2017