

INDICATOR LIGHT, 16MM, ROUND, PLASTIC, BLUE,  
CONCENTRIC RINGS



Figure similar

<b>Design of the product</b>	Single device round
<b>Enclosure</b>	
Number of command points	0
<b>Actuator</b>	
Design of the operating mechanism	indicator light
Product extension optional Light source	No
<b>Color</b>	
• of the actuating element	Blue
<b>Material of the actuating element</b>	plastic
<b>Shape of the actuating element</b>	Concentric rings
<b>Outer diameter of the actuating element</b>	19 mm
<b>Type of unlocking device</b>	without
<b>Number of switching positions</b>	0
<b>Front ring</b>	
Product component front ring	No
<b>Holder</b>	

<b>Material of the holder</b>	Plastic
-------------------------------	---------

### General technical data

<b>Product function</b>	
<ul style="list-style-type: none"> <li>• EMERGENCY OFF function</li> <li>• EMERGENCY STOP function</li> </ul>	No No
<b>Protection class IP</b>	IP65
<b>Vibration resistance</b>	
<ul style="list-style-type: none"> <li>• acc. to IEC 60068-2-6</li> </ul>	20 ... 200 Hz: 5g
<b>Equipment marking</b>	
<ul style="list-style-type: none"> <li>• acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750</li> <li>• acc. to DIN EN 61346-2</li> <li>• acc. to DIN EN 81346-2</li> </ul>	H P P

### Connections/Terminals

<b>Tightening torque of the screws in the bracket</b>	0.4 N·m
---	---------




### Ambient conditions

<b>Ambient temperature</b>	
<ul style="list-style-type: none"> <li>• during operation</li> <li>• during storage</li> </ul>	-25 ... +70 °C -40 ... +80 °C
<b>Environmental category during operation acc. to IEC 60721</b>	3K6

### Installation/ mounting/ dimensions

<b>Mounting type</b>	front mounting
<b>Shape of the installation opening</b>	round
<b>Mounting diameter</b>	16 mm
<b>Mounting height</b>	9 mm
<b>Installation width</b>	19 mm
<b>Installation depth</b>	50 mm

### Certificates/approvals

General Product Approval	Declaration of Conformity	Test Certificates	other	
		 EG-Konf.	<a href="#">spezielle Prüfbescheinigungen</a> n	<a href="#">Umweltbestätigung</a> <a href="#">Bestätigungen</a>

other
<a href="#">sonstig</a>

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2001-6BF06>

**Cax online generator**  
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2001-6BF06>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<https://support.industry.siemens.com/cs/ww/en/ps/3SB2001-6BF06>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SB2001-6BF06&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB2001-6BF06&lang=en)

last modified: 12/21/2016